# 索引 INDEX

## 内孔刀具 PSC One-Piece Boring Bar Holder


PCLNR/L-HP 07
DCLNR/L 08
PCLNR/L-M1 09
PDUNR/L-HP 10
DDUNR/L 11
PDUNR/L-M1 12
PSKNR/L-HP 13
PSKNR/L-M1 14
DTFNR/L 15
PTFNR/L-W 16
MVUNR/L 17
PWLNR/L-HP 18
DWLNR/L 19
MWLNR/L 20
SCLCR/L-HP 21
SCLCR/L 22
SDUCR/L-HP 23
SDUCR/L 24
SSKCR 25
STFCR/L-HPB 26
STFCR/L-B 27
SVQBR/L-HP 28
SVQBR/L-B 29
SDUCR/L-X 30
SNR/L 31


## 外徑刀具 PSC One-Piece Turning Holder


PCLNR/L-HP 32
DCMNN 33
DCLNR/L 34
DCRNR/L 35
DCKNR/L 36
PCLNR/L 37
PDJNR/L-HP 38
DDMNR/L 39


# 索引 INDEX

## 外徑刀具 PSC One-Piece Turning Holder


DDJNR/L 40
DDNNN 41
DDUNR/L 42
PDJNR/L 43
DRSNR/L 44
PRSCR/L 45
PSSNR/L-HP 46
DSDNN 47
DSRNR/L 48
DSSNR/L 49
PSKNR/L 50
PSRNR/L 51
PSSNR/L 52
PSDNN 53
DTGNR/L 54
DTTNR/L 55
MTJNR/L 56
DVJNR/L 57
MVJNR/L 58
DWLNR/L 59
MWLNR/L 60
SCLCR/L-HPA 61
SCLCR/L 62
SCMCN 63
SDJCR/L-HPA 64
SDNCN 65
SRSCR/L-HP 66
SRDCN-HPA 67
SRSCR/L-HPA 68
SRDCN 69
SRDCN-A 70
SRSCR/L 71
STJCR/L 72
SVJBR/L-HP 73
SVHBR/L-HPA 74
SVJBR/L-HPAB 75
SVHBR/L 76
SVVBN 77
SVMBL 78
SVSBR/L-HPA 79

# 索引 INDEX

## 外徑刀具 PSC One-Piece Turning Holder


R/LFA-E  80

SER/L  81


## 複合加工機 PSC 刀座 Composite Machining Machine PSC Tool Holder


PSC 軸向雙面外徑刀座
PSC DOBLE SIDE TURNING HOLDER  83

PSC 45度外徑刀座
PSC 45DEGREE TURNING HOLDER  83

PSC 徑向外徑刀座
PSC RADIAL TURNING HOLDER  84

PSC 軸向外徑刀座
PSC AXIAL TURNING HOLDER  84

PSC軸向三面外徑刀座
PSC TURNING HOLDER WITH TRIPLE ADAPTER  85

PSC模組化四工位車刀座
PSC TURNING HOLDER WITH QUAD-INTERCHANGEABLE HEAD  86

PSC模組化三工位車刀座
PSC TURNING HOLDER WITH TRIPLE INTERCHANGEABLE HEAD  87

PSC 模組化外徑車刀座
PSC TURNING HOLDER WITH INTERCHANGEABLE HEAD  90


## 複合加工機 PSC 柄 Composite Machining Machine PSC Tool


ESF燒結刀柄-PSC柄
SHRINK FIT HOLDER-PSC SHANK  105

HDC油壓刀柄-PSC刀柄
HYDRAULIC HOLDER-PSC SHANK  106

SD精密彈性筒夾刀柄-PSC刀柄
SD COLLET HOLDER-PSC SHANK  107

ER精密彈性筒夾刀柄-PSC刀柄
ER COLLET HODER-PSC SHANK  108

FMA面銑刀柄-PSC刀柄
FMA FACE MILL CUTTER HOLDER -PSC SHANK  109

FMB(C)面銑刀柄-PSC刀柄
FMB(C)FACE MILL CUTTER TURNING HOLDERS-PSC SHANK  110

SL側固式端銑刀柄-PSC刀柄
SL SIDE LOCK HOLDER-PSC SHANK  111

EMC強力銑刀刀柄-PSC柄
EMC POWERFUL MILLHODERS -PSC SHANK  112

EM小銑頭刀柄-PSC柄
EM SMALL MILLING HEAD HOLDER -PSC SHANK  113

阻尼減震鏜刀-PSC柄
DAMPING BORING HEAD-PSC SHANK  114


ECK鏜刀刀柄-PSC柄
ECK BORING HOLDER-PSC SHANK  115



# 索引 INDEX


## PSC刀座 PSC Tool Holder Series



| | | |
|---|---|---|
| BMT刀塔-PSC模組化固定刀座 | BMT - PSC Static Tool Holder | 116 |
| BMT刀塔-PSC模組化動力刀座 | BMT - PSC Driven Tool Holder | 123 |
| MAZAK機床-PSC模組化固定刀座 | MAZAK-PSC Static Tool Holder | 124 |
| MAZAK機床-PSC模組化動力刀座 | MAZAK-PSC Driven Tool Holder | 128 |
| Mori seiki機床-PSC模組化固定刀座 | Mori Seiki - PSC Static Tool Holder | 130 |
| Mori seiki機床-PSC模組化動力刀座 | Mori Seiki - PSC Driven Tool Holder | 134 |
| Nakamura Tome機床-PSC模組化固定刀座 | Nakamura Tome - PSC Static Tool Holder | 136 |
| Nakamura Tome機床-PSC模組化動力刀座 | Nakamura Tome - PSC Driven Tool Holder | 139 |
| Okuma機床-PSC模組化固定刀座 | Okuma - PSC Static Tool Holder | 141 |
| Okuma機床-PSC模組化動力刀座 | Okuma - PSC Driven Tool Holder | 146 |
| 非特定機床的PSC模組化固定刀座 | Non-specific Machine Type - PSC Static Tool Holder | 148 |









## 針對外圓車削而優化
Optimization of external turning





–縱向車削
vertical turning
–仿形加工
face turning
–背鏜
boring
–直徑自6mm起的孔的內孔車削
internal drilling of holes larger than 6mm in diameter
–半精加工到精加工
from semi-finishing to finish machining

## 渦殼加工解決方案
Solution for Volute Machining




–內徑車削
ID turning
–外徑與端面車削
OD and face turning
–非標定制成型車刀
non-standard customized form tool
–半精加工到精加工
from semi-finishing to finish machining

## 用于細長零件外圓和內孔車削
Used for the external turning and internal drilling of long, narrow parts
















機床夾緊單元的適配件，專爲特定的接口設計，能通過縮短裝夾和生産時間而使機床的利用率大爲提升。


Adapter for the machine locking unit, custom-designed for specific interfaces. By shortening the clamping and production times, the utilization rate of the machine can be greatly increased.




這些夾緊單元與動力刀座專爲匹配專用的轉塔接口而設計。

These locking units and power tool holders are custom-designed for specific turret interfaces.

## 如何選擇夾緊單元
How to choose clamping unit




內圓裝夾
Internal setup
外圓裝夾
Outer setup





L 左手型刀具
Left-hand type tool
R 右手型刀具
Right-hand type tool
TL 左手型夾緊單元
Left-hand type clamping unit
TR 右手型夾緊單元
Right-hand type clamping unit
↻ 主軸順時針旋轉
Clockwise spindle rotation
↺ 主軸逆時針旋轉
Counter-clockwise spindle rotation






## 如何選擇夾緊單元
How to choose clamping unit




內圓裝夾
Internal setup
外圓裝夾
Outer setup





L 左手型刀具
Left-hand type tool
R 右手型刀具
Right-hand type tool
TL 左手型夾緊單元
Left-hand type clamping unit
TR 右手型夾緊單元
Right-hand type clamping unit
↻ 主軸順時針旋轉
Clockwise spindle rotation
↺ 主軸逆時針旋轉
Counter-clockwise spindle rotation

## PSC一體式內孔刀具
PSC One-Piece Boring Bar Holder

### PCLNR/L-HP






| 訂貨型號 Order Code | D | d | L | C | M | DMIN1 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|---|
| C4-PCLNR/L-13080-09HP | 40 | 20 | 80 | 13 | 51.9 | 25 | 0.38 | CNMG090308 |
| C5-PCLNR/L-13080-09HP | 50 | 20 | 80 | 13 | 50.6 | 25 | 0.56 | CNMG090308 |
| C3-PCLNR/L-17090-12HP | 32 | 25 | 90 | 17 | 71.8 | 32 | 0.34 | CNMG120408 |
| C3-PCLNR/L-22064-12HP | 32 | 32 | 64 | 22 | 48 | 40 | 0.33 | CNMG120408 |
| C3-PCLNR/L-22096-12HP | 32 | 32 | 96 | 22 | 80 | 40 | 0.51 | CNMG120408 |
| C4-PCLNR/L-17090-12HP | 40 | 25 | 90 | 17 | 63.4 | 32 | 0.46 | CNMG120408 |
| C4-PCLNR/L-22110-12HP | 40 | 32 | 110 | 22 | 86.6 | 40 | 0.71 | CNMG120408 |
| C4-PCLNR/L-27080-12HP | 40 | 40 | 80 | 27 | 59 | 50 | 0.66 | CNMG120408 |
| C4-PCLNR/L-27120-12HP | 40 | 40 | 120 | 27 | 99 | 50 | 1.02 | CNMG120408 |
| C5-PCLNR/L-17090-12HP | 50 | 25 | 90 | 17 | 61.3 | 32 | 0.65 | CNMG120408 |
| C5-PCLNR/L-22110-12HP | 50 | 32 | 110 | 22 | 82.2 | 40 | 0.89 | CNMG120408 |
| C5-PCLNR/L-27140-12HP | 50 | 40 | 140 | 27 | 115.6 | 50 | 1.39 | CNMG120408 |
| C5-PCLNR/L-35100-12HP | 50 | 50 | 100 | 35 | 79 | 63 | 1.32 | CNMG120408 |
| C6-PCLNR/L-17100-12HP | 63 | 25 | 100 | 17 | 67.5 | 32 | 1.03 | CNMG120408 |
| C6-PCLNR/L-22100-12HP | 63 | 32 | 110 | 22 | 78.5 | 40 | 1.24 | CNMG120408 |
| C5-PCLNR/L-35150-16HP | 50 | 50 | 150 | 35 | 129 | 63 | 2.02 | CNMG160612 |
| C6-PCLNR/L-27140-16HP | 63 | 40 | 140 | 27 | 109.5 | 50 | 1.68 | CNMG160612 |
| C6-PCLNR/L-35175-16HP | 63 | 50 | 175 | 35 | 146.7 | 63 | 2.71 | CNMG160612 |




PSC一體式內孔刀具
PSC One-Piece Boring Bar Holder

內孔刀具 Boring Bar Holder

### DCLNR/L







| 訂貨型號 Order Code | D | d | L | C | M | DMIN1 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|---|
| C4-DCLNR/L-13080-09 | 40 | 20 | 80 | 13 | 57 | 25 | 0.33 | CNMG090308 |
| C5-DCLNR/L-13080-09 | 50 | 20 | 80 | 13 | 56 | 25 | 0.6 | CNMG090308 |
| C4-DCLNR/L-17090-12 | 40 | 25 | 90 | 17 | 68 | 32 | 0.46 | CNMG120408 |
| C5-DCLNR/L-17090-12 | 50 | 25 | 90 | 17 | 66 | 32 | 0.64 | CNMG120408 |
| C6-DCLNR/L-17090-12 | 63 | 25 | 100 | 17 | 72 | 32 | 0.9 | CNMG120408 |
| C6-DCLNR/L-27140-16 | 63 | 40 | 140 | 27 | 114 | 50 | 1.7 | CNMG160612 |

## PCLNR/L-M1







| 訂貨型號 Order Code | D | d | L | C | M | DMIN1 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|---|
| C4-PCLNR/L-13080-09M1 | 40 | 20 | 80 | 13 | 52 | 25 | 0.38 | CNMG090308 |
| C5-PCLNR/L-13080-09M1 | 50 | 20 | 80 | 13 | 51 | 25 | 0.56 | CNMG090308 |
| C3-PCLNR/L-17090-12M1 | 32 | 25 | 90 | 17 | 72 | 32 | 0.34 | CNMG120408 |
| C3-PCLNR/L-22064-12M1 | 32 | 32 | 64 | 22 | 48 | 40 | 0.33 | CNMG120408 |
| C3-PCLNR/L-22096-12M1 | 32 | 32 | 96 | 22 | 80 | 40 | 0.51 | CNMG120408 |
| C4-PCLNR/L-17090-12M1 | 40 | 25 | 90 | 17 | 64 | 32 | 0.46 | CNMG120408 |
| C4-PCLNR/L-22110-12M1 | 40 | 32 | 110 | 22 | 87 | 40 | 0.71 | CNMG120408 |
| C4-PCLNR/L-27080-12M1 | 40 | 40 | 80 | 27 | 59 | 50 | 0.66 | CNMG120408 |
| C4-PCLNR/L-27120-12M1 | 40 | 40 | 120 | 27 | 99 | 50 | 1.02 | CNMG120408 |
| C5-PCLNR/L-17090-12M1 | 50 | 25 | 90 | 17 | 61 | 32 | 0.65 | CNMG120408 |
| C5-PCLNR/L-22110-12M1 | 50 | 32 | 110 | 22 | 82 | 40 | 0.89 | CNMG120408 |
| C5-PCLNR/L-27140-12M1 | 50 | 40 | 140 | 27 | 115 | 50 | 1.39 | CNMG120408 |
| C5-PCLNR/L-35100-12M1 | 50 | 50 | 100 | 35 | 79 | 63 | 1.32 | CNMG120408 |
| C6-PCLNR/L-17100-12M1 | 63 | 25 | 100 | 17 | 68 | 32 | 1.03 | CNMG120408 |
| C6-PCLNR/L-22100-12M1 | 63 | 32 | 110 | 22 | 78 | 40 | 1.24 | CNMG120408 |
| C5-PCLNR/L-35150-16M1 | 50 | 50 | 150 | 35 | 129 | 63 | 1.32 | CNMG160612 |
| C6-PCLNR/L-27140-16M1 | 63 | 40 | 140 | 27 | 110 | 50 | 1.68 | CNMG160612 |
| C6-PCLNR/L-35175-16M1 | 63 | 50 | 175 | 35 | 147 | 63 | 2.71 | CNMG160612 |





## PDUNR/L-HP







| 訂貨型號 Order Code | D | d | L | C | M | DMIN1 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|---|
| C3-PDUNR/L-17090-11HP | 32 | 25 | 90 | 17 | 71.8 | 32 | 0.34 | DNMG110408 |
| C4-PDUNR/L-17090-11HP | 40 | 25 | 90 | 17 | 63.4 | 32 | 0.45 | DNMG110408 |
| C4-PDUNR/L-22110-11HP | 40 | 32 | 110 | 22 | 86.6 | 40 | 0.72 | DNMG110408 |
| C5-PDUNR/L-17090-11HP | 50 | 25 | 90 | 17 | 61.3 | 32 | 0.65 | DNMG110408 |
| C5-PDUNR/L-22110-11HP | 50 | 32 | 110 | 22 | 82.2 | 40 | 0.9 | DNMG110408 |
| C6-PDUNR/L-17100-11HP | 63 | 25 | 100 | 17 | 67.5 | 32 | 1.04 | DNMG110408 |
| C4-PDUNR/L-27080-15HP | 40 | 40 | 90 | 27 | 59 | 50 | 0.65 | DNMG150608 |
| C4-PDUNR/L-27120-15HP | 40 | 40 | 120 | 27 | 99 | 50 | 1 | DNMG150608 |
| C5-PDUNR/L-27140-15HP | 50 | 40 | 140 | 27 | 115.6 | 50 | 1.38 | DNMG150608 |
| C5-PDUNR/L-35100-15HP | 50 | 50 | 100 | 35 | 79 | 63 | 1.35 | DNMG150608 |
| C5-PDUNR/L-35150-15HP | 50 | 50 | 150 | 35 | 129 | 63 | 2.07 | DNMG150608 |
| C6-PDUNR/L-22110-15HP | 63 | 32 | 110 | 22 | 78.5 | 40 | 1.23 | DNMG150608 |
| C6-PDUNR/L-27140-15HP | 63 | 40 | 140 | 27 | 109.5 | 50 | 1.71 | DNMG150608 |
| C6-PDUNR/L-35175-15HP | 63 | 50 | 175 | 35 | 146.7 | 63 | 2.77 | DNMG150608 |

## DDUNR/L






| 訂貨型號 Order Code | D | d | L | C | M | DMIN1 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|---|
| C4-DDUNR/L-17090-11 | 40 | 25 | 90 | 17 | 68 | 32 | 0.46 | DNMG110408 |
| C5-DDUNR/L-17090-11 | 50 | 25 | 90 | 17 | 66 | 32 | 0.64 | DNMG110408 |
| C4-DDUNR/L-27080-15 | 40 | 39.7 | 80 | 27 | 59 | 50 | 0.64 | DNMG150608 |
| C5-DDUNR/L-27140-15 | 50 | 40 | 140 | 27 | 118 | 50 | 1.3 | DNMG150608 |
| C6-DDUNR/L-27140-15 | 63 | 40 | 140 | 27 | 114 | 50 | 1.69 | DNMG150608 |








## PDUNR/L-M1







| 訂貨型號 Order Code | D | d | L | C | M | DMIN1 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|---|
| C3-PDUNR/L-17090-11M1 | 32 | 25 | 90 | 17 | 72 | 32 | 0.46 | DNMG110408 |
| C4-PDUNR/L-17090-11M1 | 40 | 25 | 90 | 17 | 63 | 32 | 0.46 | DNMG110408 |
| C4-PDUNR/L-22110-11M1 | 40 | 32 | 110 | 22 | 87 | 40 | 0.71 | DNMG110408 |
| C5-PDUNR/L-17090-11M1 | 50 | 25 | 90 | 17 | 61 | 32 | 0.65 | DNMG110408 |
| C5-PDUNR/L-22110-11M1 | 50 | 32 | 110 | 22 | 82 | 40 | 0.89 | DNMG110408 |
| C6-PDUNR/L-17110-11M1 | 63 | 25 | 100 | 17 | 67 | 32 | 1.03 | DNMG110408 |
| C4-PDUNR/L-27080-15M1 | 40 | 40 | 80 | 27 | 59 | 50 | 0.64 | DNMG150608 |
| C4-PDUNR/L-27120-15M1 | 40 | 40 | 120 | 27 | 99 | 50 | 0.99 | DNMG150608 |
| C5-PDUNR/L-27140-15M1 | 50 | 40 | 140 | 27 | 115 | 50 | 1.37 | DNMG150608 |
| C5-PDUNR/L-35100-15M1 | 50 | 50 | 100 | 35 | 79 | 63 | 1.32 | DNMG150608 |
| C5-PDUNR/L-35150-15M1 | 50 | 50 | 150 | 35 | 129 | 63 | 2.04 | DNMG150608 |
| C6-PDUNR/L-22110-15M1 | 63 | 32 | 110 | 22 | 78 | 40 | 1.22 | DNMG150608 |
| C6-PDUNR/L-27140-15M1 | 63 | 40 | 140 | 27 | 110 | 50 | 1.7 | DNMG150608 |
| C6-PDUNR/L-35175-15M1 | 63 | 50 | 175 | 35 | 147 | 63 | 2.74 | DNMG150608 |

## PSC一體式內孔刀具
PSC One-Piece Boring Bar Holder

### PSKNR/L-HP






| 訂貨型號 Order Code | D | d | L | L1 | C | M | DMIN1 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|---|---|
| C4-PSKNR/L-17090-12HP | 40 | 25 | 90 | 93.1 | 17 | 63.4 | 32 | 0.47 | SNMG120408 |
| C4-PSKNR/L-22110-12HP | 40 | 32 | 110 | 113.1 | 22 | 86.6 | 40 | 0.73 | SNMG120408 |
| C5-PSKNR/L-17090-12HP | 50 | 25 | 90 | 93.1 | 17 | 61.3 | 32 | 0.66 | SNMG120408 |
| C5-PSKNR/L-22110-12HP | 50 | 32 | 110 | 113.1 | 22 | 82.2 | 40 | 0.92 | SNMG120408 |
| C5-PSKNR/L-27140-12HP | 50 | 40 | 140 | 143.1 | 27 | 115.6 | 50 | 1.42 | SNMG120408 |
| C6-PSKNR/L-22110-12HP | 63 | 32 | 110 | 113.1 | 22 | 78.5 | 40 | 1.26 | SNMG120408 |
| C6-PSKNR/L-35175-15HP | 63 | 50 | 175 | 178.8 | 35 | 146.7 | 63 | 2.81 | SNMG150608 |




內孔刀具 Boring Bar Holder

PSC一體式內孔刀具
PSC One-Piece Boring Bar Holder

### PSKNR/L-M1







| 訂貨型號 Order Code | D | d | L | L1 | C | M | DMIN1 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|---|---|
| C4-PSKNL-22110-12M1 | 40 | 32 | 110 | 113.1 | 22 | 87 | 40 | 0.72 | SNMG120408 |
| C4-PSKNR-17090-12M1 | 40 | 25 | 90 | 93.1 | 17 | 63 | 32 | 0.47 | SNMG120408 |
| C5-PSKNR/L-27140-12M1 | 50 | 40 | 140 | 143.1 | 27 | 116 | 50 | 1.4 | SNMG120408 |
| C5-PSKNR-17090-12M1 | 50 | 25 | 90 | 93.1 | 17 | 61 | 32 | 0.66 | SNMG120408 |
| C5-PSKNR-22110-12M1 | 50 | 32 | 110 | 113.1 | 22 | 82 | 40 | 0.9 | SNMG120408 |
| C6-PSKNR-22110-12M1 | 63 | 32 | 110 | 113.1 | 22 | 78 | 40 | 1.25 | SNMG120408 |
| C6-PSKNR/L-35175-15M1 | 63 | 50 | 175 | 178.8 | 35 | 147 | 63 | 2.76 | SNMG150608 |

## DTFNR/L






| 訂貨型號 Order Code | D | d | L | C | M | DMIN1 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|---|
| C4-DTFNR/L-17090-16 | 40 | 25 | 90 | 17 | 68 | 32 | 0.55 | TNMG160408 |
| C5-DTFNR/L-17090-16 | 50 | 25 | 90 | 17 | 66 | 32 | 0.55 | TNMG160408 |








## PTFNR/L-W







| 訂貨型號 Order Code | D | d | L | C | M | DMIN1 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|---|
| C3-PTFNR-17090-16W | 32 | 25 | 90 | 17 | 75 | 32 | 0.34 | TNMG160408 |
| C4-PTFNR/L-17090-16W | 40 | 25 | 90 | 17 | 69 | 32 | 0.45 | TNMG160408 |
| C4-PTFNR/L-22110-16W | 40 | 32 | 110 | 22 | 89 | 40 | 0.69 | TNMG160408 |
| C4-PTFNR/L-27120-16W | 40 | 40 | 120 | 27 | 100 | 50 | 0.8 | TNMG160408 |
| C5-PTFNR/L-17090-16W | 50 | 25 | 90 | 17 | 67 | 32 | 0.65 | TNMG160408 |
| C5-PTFNR/L-22110-16W | 50 | 32 | 110 | 22 | 88 | 40 | 0.87 | TNMG160408 |
| C5-PTFNR/L-27140-16W | 50 | 40 | 140 | 27 | 119 | 50 | 1.34 | TNMG160408 |
| C6-PTFNR/L-22110-16W | 63 | 32 | 110 | 22 | 84 | 40 | 1.4 | TNMG160408 |
| C6-PTFNR/L-27140-16W | 63 | 40 | 140 | 27 | 115 | 50 | 1.7 | TNMG160408 |
| C5-PTFNR-27140-22W | 50 | 40 | 140 | 27 | 119 | 50 | 1.34 | TNMG220408 |
| C6-PTFNR/L-27140-22W | 63 | 40 | 140 | 27 | 115 | 50 | 1.7 | TNMG220408 |
| C6-PTFNR/L-35175-22W | 63 | 50 | 175 | 35 | 152 | 63 | 2.7 | TNMG220408 |

## MVUNR/L






| 訂貨型號 Order Code | D | d | L | C | M | DMIN1 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|---|
| C4-MVUNR/L-27120-16 | 40 | 40 | 120 | 27 | 100 | 50 | 0.5 | VNMG160408 |
| C5-MVUNR/L-27140-16 | 50 | 40 | 140 | 27 | 119 | 50 | 0.65 | VNMG160408 |
| C5-MVUNR/L-35150-16 | 50 | 50 | 150 | 35 | 131 | 63 | 0.65 | VNMG160408 |
| C6-MVUNL-22120-16 | 63 | 32 | 120 | 22 | 94 | 40 | 1.2 | VNMG160408 |
| C6-MVUNR-35175-16 | 63 | 50 | 175 | 35 | 152 | 63 | 1.7 | VNMG160408 |








## PWLNR/L-HP








| 訂貨型號 Order Code | D | d | L | C | M | DMIN1 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|---|
| C4-PWLNR/L-17090-08HP | 40 | 25 | 90 | 17 | 63.4 | 32 | 0.46 | WNMG080408 |
| C5-PWLNR/L-22110-08HP | 50 | 32 | 110 | 22 | 82.2 | 40 | 0.88 | WNMG080408 |

## DWLNR/L







| 訂貨型號 Order Code | D | d | L | C | M | DMIN1 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|---|
| C4-DWLNR/L-13075-06 | 40 | 20 | 75 | 13 | 52 | 27 | 0.33 | WNMG060408 |
| C4-DWLNR/L-07090-08 | 40 | 25 | 90 | 17 | 68 | 33 | 0.46 | WNMG080408 |
| C5-DWLNR/L-17090-08 | 50 | 25 | 90 | 17 | 66 | 33 | 0.55 | WNMG080408 |






## MWLNR/L







| 訂貨型號 Order Code | D | d | L | C | M | DMIN1 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|---|
| C3-MWLNR/L-13075-06 | 32 | 20 | 75 | 13 | 59 | 25 | 0.3 | WNMG060408 |
| C4-MWLNR/L-13075-06 | 40 | 20 | 75 | 13 | 53 | 25 | 0.5 | WNMG060408 |
| C4-MWLNR/L-17090-06M1 | 40 | 25 | 90 | 17 | 69 | 32 | 0.5 | WNMG060408 |
| C4-MWLNR/L-17090-08 | 40 | 25 | 90 | 17 | 69 | 32 | 0.5 | WNMG080408 |
| C4-MWLNR/L-22110-08 | 40 | 32 | 110 | 22 | 89 | 40 | 0.5 | WNMG080408 |
| C4-MWLNR/L-27120-08 | 40 | 40 | 120 | 27 | 100 | 50 | 0.5 | WNMG080408 |
| C5-MWLNR/L-17090-08 | 50 | 25 | 90 | 17 | 67 | 32 | 0.65 | WNMG080408 |
| C5-MWLNR/L-22110-08 | 50 | 32 | 110 | 22 | 88 | 40 | 0.65 | WNMG080408 |
| C5-MWLNR/L-27120-08 | 50 | 40 | 140 | 27 | 119 | 50 | 0.65 | WNMG080408 |

## SCLCR/L-HP







| 訂貨型號 Order Code | D | d | L | C | M | DMIN1 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|---|
| C3-SCLCR/L-11065-09HP | 32 | 16 | 65 | 11 | 48 | 21.5 | 0.17 | CCMT09T308 |
| C4-SCLCR/L-11070-09HP | 40 | 16 | 70 | 11 | 47 | 21.5 | 0.35 | CCMT09T308 |
| C4-SCLCR/L-13080-09HP | 40 | 20 | 80 | 13 | 57 | 25 | 0.35 | CCMT09T308 |
| C5-SCLCR/L-11070-09HP | 50 | 16 | 70 | 11 | 46 | 21.5 | 0.5 | CCMT09T308 |
| C5-SCLCR/L-13080-09HP | 50 | 20 | 80 | 13 | 56 | 25 | 0.5 | CCMT09T308 |
| C4-SCLCR/L-17090-12HP | 40 | 25 | 90 | 17 | 69 | 32 | 0.35 | CCMT120408 |
| C5-SCLCR/L-17090-12HP | 50 | 25 | 90 | 17 | 67 | 32 | 0.5 | CCMT120408 |



PSC一體式內孔刀具
PSC One-Piece Boring Bar Holder
內孔刀具 Boring Bar Holder

## SCLCR/L







| 訂貨型號 Order Code | D | d | L | C | M | DMIN1 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|---|
| C3-SCLCL-17090-09 | 32 | 25 | 90 | 17 | 74 | 32 | 0.3 | CCMT09T308 |
| C3-SCLCR/L-11065-09 | 32 | 16 | 65 | 11 | 48 | 20 | 0.3 | CCMT09T308 |
| C3-SCLCR/L-13075-09 | 32 | 20 | 75 | 13 | 58 | 25 | 0.3 | CCMT09T308 |
| C4-SCLCR/L-11070-09 | 40 | 16 | 70 | 11 | 47 | 20 | 0.5 | CCMT09T308 |
| C4-SCLCR/L-13080-09 | 40 | 20 | 80 | 13 | 57 | 25 | 0.5 | CCMT09T308 |
| C4-SCLCR/L-17090-09 | 40 | 25 | 90 | 17 | 68 | 32 | 0.5 | CCMT09T308 |
| C4-SCLCR/L-27080-09 | 40 | 40 | 80 | 27 | 60 | 50 | 0.5 | CCMT09T308 |
| C5-SCLCR/L-11070-09 | 50 | 16 | 70 | 11 | 46 | 20 | 0.65 | CCMT09T308 |
| C5-SCLCR/L-13080-09 | 50 | 20 | 80 | 13 | 56 | 25 | 0.65 | CCMT09T308 |
| C5-SCLCR/L-17090-09 | 50 | 25 | 90 | 17 | 67 | 32 | 0.65 | CCMT09T308 |
| C5-SCLCR-35100-09 | 50 | 50 | 100 | 35 | 80 | 63 | 0.65 | CCMT09T308 |
| C3-SCLCR-17090-12 | 32 | 25 | 90 | 17 | 74 | 32 | 0.3 | CCMT120408 |
| C3-SCLCR-22096-12 | 32 | 32 | 96 | 22 | 81 | 40 | 0.3 | CCMT120408 |
| C4-SCLCR/L-17090-12 | 40 | 25 | 90 | 17 | 68 | 32 | 0.5 | CCMT120408 |
| C4-SCLCR/L-22110-12 | 40 | 32 | 110 | 22 | 89 | 40 | 0.5 | CCMT120408 |
| C4-SCLCR/L-27080-12 | 40 | 40 | 80 | 27 | 60 | 50 | 0.5 | CCMT120408 |
| C5-SCLCR/L-17090-12 | 50 | 25 | 90 | 17 | 67 | 32 | 0.65 | CCMT120408 |
| C5-SCLCR/L-22110-12 | 50 | 32 | 110 | 22 | 88 | 40 | 0.65 | CCMT120408 |
| C5-SCLCR/L-27140-12 | 50 | 40 | 140 | 27 | 119 | 50 | 0.65 | CCMT120408 |
| C5-SCLCR-35110-12 | 50 | 50 | 100 | 35 | 80 | 63 | 0.65 | CCMT120408 |

## SDUCR/L-HP






| 訂貨型號 Order Code | D | d | L | C | M | DMIN1 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|---|
| C4-SDUCR/L-13080-07HP | 40 | 20 | 80 | 13 | 58 | 25 | 0.35 | DCMT070204 |
| C5-SDUCR/L-13080-07HP | 50 | 20 | 80 | 13 | 56 | 25 | 0.5 | DCMT070204 |
| C4-SDUCR/L-13080-11HP | 40 | 20 | 80 | 13 | 58 | 25 | 0.35 | DCMT11T308 |
| C4-SDUCR/L-17090-11HP | 40 | 25 | 90 | 17 | 69 | 32 | 0.35 | DCMT11T308 |
| C5-SDUCR/L-13080-11HP | 50 | 20 | 80 | 13 | 56 | 25 | 0.5 | DCMT11T308 |
| C5-SDUCR/L-17090-11HP | 50 | 25 | 90 | 17 | 67 | 32 | 0.5 | DCMT11T308 |








## SDUCR/L







| 訂貨型號 Order Code | D | d | L | C | M | DMIN1 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|---|
| C3-SDUCR/L-11065-07 | 32 | 16 | 65 | 11 | 48 | 20 | 0.3 | DCMT070204 |
| C4-SDUCR/L-11070-07 | 40 | 16 | 70 | 11 | 47 | 20 | 0.5 | DCMT070204 |
| C5-SDUCR/L-11070-07 | 50 | 16 | 70 | 11 | 46 | 20 | 0.65 | DCMT070204 |
| C3-SDUCR/L-13075-11 | 32 | 20 | 75 | 13 | 58 | 25 | 0.3 | DCMT11T308 |
| C3-SDUCR/L-17090-11 | 32 | 25 | 90 | 17 | 73 | 32 | 0.3 | DCMT11T308 |
| C3-SDUCR/L-22096-11 | 32 | 32 | 96 | 22 | 81 | 40 | 0.3 | DCMT11T308 |
| C4-SDUCR/L-13080-11 | 40 | 20 | 80 | 13 | 57 | 25 | 0.5 | DCMT11T308 |
| C4-SDUCR/L-17090-11 | 40 | 25 | 90 | 17 | 68 | 32 | 0.5 | DCMT11T308 |
| C4-SDUCR/L-22110-11 | 40 | 32 | 110 | 22 | 89 | 40 | 0.5 | DCMT11T308 |
| C4-SDUCR/L-27080-11 | 40 | 40 | 80 | 27 | 60 | 50 | 0.5 | DCMT11T308 |
| C5-SDUCR/L-13080-11 | 50 | 20 | 80 | 13 | 56 | 25 | 0.65 | DCMT11T308 |
| C5-SDUCR/L-17090-11 | 50 | 25 | 90 | 17 | 67 | 32 | 0.65 | DCMT11T308 |
| C5-SDUCR/L-22110-11 | 50 | 32 | 110 | 22 | 88 | 40 | 0.65 | DCMT11T308 |
| C5-SDUCR/L-35100-11 | 50 | 50 | 100 | 35 | 80 | 63 | 0.65 | DCMT11T308 |

## SSKCR







| 訂貨型號 Order Code | D | d | L | L1 | C | M | DMIN1 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|---|---|
| C4-SSKCR-13080-09 | 40 | 20 | 80 | 82.2 | 13 | 58 | 25 | 0.36 | SCMT09T308 |
| C5-SSKCR-13080-09 | 50 | 20 | 80 | 82.2 | 13 | 56 | 25 | 0.54 | SCMT09T308 |





## STFCR/L-HPB







| 訂貨型號 Order Code | D | d | L | C | M | DMIN1 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|---|
| C4-STFCR/L-11070-11HPB1 | 40 | 16 | 70 | 11 | 47 | 20 | 0.35 | TCMT110304 |
| C4-STFCR/L-13080-11HPB1 | 40 | 20 | 80 | 13 | 57 | 25 | 0.35 | TCMT110304 |
| C4-STFCR/L-17090-16HP | 40 | 25 | 90 | 17 | 69 | 32 | 0.35 | TCMT16T308 |
| C5-STFCR/L-17090-16HP | 50 | 25 | 90 | 17 | 67 | 32 | 0.5 | TCMT16T308 |
| C5-STFCR/L-22110-16HP | 50 | 32 | 110 | 22 | 88 | 40 | 0.5 | TCMT16T308 |

## STFCR/L-B






| 訂貨型號 Order Code | D | d | L | C | M | DMIN1 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|---|
| C3-STFCR/L-11065-11-B1 | 32 | 16 | 65 | 11 | 48 | 20 | 0.15 | TCMT110304 |
| C3-STFCR/L-11065-11 | 32 | 16 | 65 | 11 | 48 | 20 | 0.15 | TCMT110204 |
| C4-STFCR/L-11070-11 | 40 | 16 | 70 | 11 | 47 | 20 | 0.31 | TCMT110204 |
| C4-STFCR/L-11070-11-B1 | 40 | 16 | 70 | 11 | 47 | 20 | 0.34 | TCMT110304 |
| C4-STFCR/L-13080-11 | 40 | 20 | 80 | 13 | 57 | 25 | 0.36 | TCMT110204 |
| C4-STFCR/L-13080-11-B1 | 40 | 20 | 80 | 13 | 57 | 25 | 0.36 | TCMT110304 |
| C5-STFCR/L-11070-11-B1 | 50 | 16 | 70 | 11 | 46 | 20 | 0.45 | TCMT110304 |
| C5-STFCR/L-13080-11-B1 | 50 | 20 | 80 | 13 | 56 | 25 | 0.54 | TCMT110304 |
| C5-STFCR-11070-11 | 50 | 16 | 70 | 11 | 46 | 20 | 0.45 | TCMT110204 |
| C5-STFCR-13080-11 | 50 | 20 | 80 | 13 | 56 | 25 | 0.54 | TCMT110204 |
| C3-STFCR-17090-16 | 32 | 25 | 90 | 17 | 74 | 32 | 0.34 | TCMT16T308 |
| C4-STFCR/L-17090-16 | 40 | 25 | 90 | 17 | 68 | 32 | 0.45 | TCMT16T308 |
| C4-STFCR/L-22110-16 | 40 | 32 | 110 | 22 | 89 | 40 | 0.69 | TCMT16T308 |
| C5-STFCR/L-17090-16 | 50 | 25 | 90 | 17 | 67 | 32 | 0.65 | TCMT16T308 |
| C5-STFCR/L-22110-16 | 50 | 32 | 110 | 22 | 88 | 40 | 0.87 | TCMT16T308 |








## SVQBR/L-HP







| 訂貨型號 Order Code | D | d | L | C | M | DMIN1 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|---|
| C4-SVQBR/L-13070-11HPB1 | 40 | 20 | 70 | 13 | 47 | 25 | 0.35 | VBMT110304 |
| C4-SVQBR/L-18090-16HP | 40 | 25 | 90 | 18 | 68 | 33 | 0.35 | VBMT160408 |
| C5-SVQBR/L-18090-16HP | 50 | 25 | 90 | 18 | 67 | 33 | 0.5 | VBMT160408 |
| C6-SVQBR/L-22120-16HP | 63 | 32 | 120 | 22 | 94 | 40 | 1.25 | VBMT160408 |

## SVQBR/L-B






| 訂貨型號 Order Code | D | d | L | C | M | DMIN1 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|---|
| C3-SVQBR/L-13070-11-B1 | 32 | 16 | 70 | 13 | 53 | 22 | 0.3 | VBMT110304 |
| C4-SVQBR-15080-11-B1 | 32 | 20 | 80 | 15 | 63 | 27 | 0.3 | VBMT110304 |
| C4-SVQBR/L-13070-11-B1 | 40 | 20 | 70 | 13 | 47 | 25 | 0.5 | VBMT110304 |
| C4-SVQBR/L-15080-11-B1 | 40 | 20 | 80 | 15 | 57 | 27 | 0.5 | VBMT110304 |
| C4-SVQBR-13070-11 | 40 | 20 | 70 | 15 | 48 | 25 | 0.5 | VBMT110204 |
| C4-SVQBR-15080-11 | 40 | 20 | 80 | 13 | 58 | 27 | 0.5 | VBMT110204 |
| C5-SVQBR/L-15080-11 | 50 | 20 | 80 | 15 | 57 | 27 | 0.65 | VBMT110204 |
| C5-SVQBR/L-15080-11-B1 | 50 | 20 | 80 | 15 | 56 | 27 | 0.65 | VBMT110304 |








## SDUCR/L-X







| 訂貨型號 Order Code | D | d | L | L1 | C | M | DMIN1 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|---|---|
| C3-SDUCR-15080-07X | 32 | 20 | 80 | 91.5 | 15 | 63.9 | 27 | 0.25 | DCMT070204 |
| C4-SDUCR/L-13070-07X | 40 | 16 | 70 | 81.5 | 13 | 47.3 | 22 | 0.35 | DCMT070204 |
| C4-SDUCR/L-15080-07X | 40 | 20 | 80 | 91.5 | 15 | 47.9 | 27 | 0.4 | DCMT070204 |
| C4-SDUCR/L-18090-07X | 40 | 25 | 90 | 101.5 | 18 | 68.5 | 32 | 0.5 | DCMT070204 |
| C5-SDUCR/L-15080-07X | 50 | 20 | 80 | 91.5 | 15 | 56.5 | 27 | 0.6 | DCMT070204 |
| C5-SDUCR/L-18090-07X | 50 | 25 | 90 | 101.5 | 18 | 67.2 | 32 | 0.7 | DCMT070204 |

## PSC一體式內孔刀具
## PSC One-Piece Boring Bar Holder

**SNR/L**






| 訂貨型號 Order Code | D | d | L | C | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|
| C3-SNR/L-08060-11 | 32 | 13 | 60 | 8 | 0.24 | 11IR ISO(0.35-2.0) |
| C3-SNR/L-12060-11 | 32 | 13 | 60 | 12 | 0.24 | 11IR ISO(0.35-2.0) |
| C4-SNR/L-08060-11 | 40 | 13 | 60 | 8 | 0.3 | 11IR ISO(0.35-2.0) |
| C4-SNR/L-12060-11 | 40 | 13 | 60 | 12 | 0.3 | 11IR ISO(0.35-2.0) |
| C5-SNR/L-08060-11 | 50 | 13 | 60 | 8 | 0.33 | 11IR ISO(0.35-2.0) |
| C5-SNR/L-12060-11 | 50 | 13 | 60 | 12 | 0.33 | 11IR ISO(0.35-2.0) |
| C6-SNR/L-08060-11 | 63 | 13 | 60 | 8 | 0.4 | 11IR ISO(0.35-2.0) |
| C6-SNR/L-12060-11 | 63 | 13 | 60 | 12 | 0.4 | 11IR ISO(0.35-2.0) |
| | | | | | | |
| C3-SNR/L-12050-16 | 32 | 15 | 50 | 12 | 0.21 | 16IR ISO |
| C3-SNR/L-14060-16 | 32 | 18 | 60 | 14 | 0.24 | 16IR ISO |
| C4-SNR/L-12060-16 | 40 | 15 | 60 | 12 | 0.55 | 16IR ISO |
| C4-SNR/L-14060-16 | 40 | 18 | 60 | 14 | 0.51 | 16IR ISO |
| C4-SNR/L-17070-16 | 40 | 24 | 70 | 17 | 0.52 | 16IR ISO |
| C4-SNR/L-22090-16 | 40 | 32 | 90 | 22 | 0.52 | 16IR ISO |
| C5-SNR/L-12060-16 | 50 | 15 | 60 | 12 | 0.55 | 16IR ISO |
| C5-SNR/L-14060-16 | 50 | 18 | 60 | 14 | 0.55 | 16IR ISO |
| C5-SNR/L-17070-16 | 50 | 24 | 70 | 17 | 0.55 | 16IR ISO |
| C5-SNR/L-22090-16 | 50 | 32 | 90 | 22 | 0.55 | 16IR ISO |
| C5-SNR/L-27105-16 | 50 | 40 | 105 | 27 | 0.55 | 16IR ISO |
| C6-SNR/L-14070-16 | 63 | 18 | 70 | 14 | 0.55 | 16IR ISO |
| C6-SNR/L-17070-16 | 63 | 24 | 70 | 17 | 0.55 | 16IR ISO |
| C6-SNR/L-22090-16 | 63 | 32 | 90 | 22 | 1.1 | 16IR ISO |
| C6-SNR/L-27105-16 | 63 | 40 | 105 | 27 | 1.35 | 16IR ISO |







## PSC一體式外徑刀具
## PSC One-Piece Turning Holder

**PCLNR/L-HP**







| 訂貨型號 Order Code | D | L | C | DMIN1 | DMIN2 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|
| C4-PCLNR/L-27050-12HP | 40 | 50 | 27 | 110 | 140 | 0.34 | CNMG120408 |
| C5-PCLNR/L-35060-12HP | 50 | 60 | 35 | 110 | 165 | 0.71 | CNMG120408 |
| C6-PCLNR/L-45065-12HP | 63 | 65 | 45 | 110 | 195 | 1.1 | CNMG120408 |
| C5-PCLNR/L-35060-16HP | 50 | 60 | 35 | 125 | 165 | 0.76 | CNMG160612 |
| C6-PCLNR/L-45065-16HP | 63 | 65 | 45 | 110 | 195 | 1.25 | CNMG160612 |
| C6-PCLNR/L-45065-19HP | 63 | 65 | 45 | 110 | 195 | 1.25 | CNMG190612 |

## DCMNN






| 訂貨型號 Order Code | D | L | C | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|
| C5-DCMNN-00105-12 | 50 | 105 | 0 | 1.09 | CNMG120408 |
| C6-DCMNN-00090-12 | 63 | 90 | 0 | 1.3 | CNMG120408 |
| C6-DCMNN-00115-12 | 63 | 115 | 0 | 1.7 | CNMG120408 |
| C6-DCMNN-00090-16 | 63 | 90 | 0 | 1.3 | CNMG160612 |









## DCLNR/L










| 訂貨型號 Order Code | D | L | C | DMIN1 | DMIN2 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|
| C4-DCLNR/L-27050-09 | 40 | 50 | 27 | 60 | 140 | 0.33 | CNMG090308 |
| C3-DCLNR/L-22045-12 | 32 | 45 | 22 | 60 | 121 | 0.26 | CNMG120408 |
| C4-DCLNR/L-27050-12 | 40 | 50 | 27 | 110 | 140 | 0.33 | CNMG120408 |
| C5-DCLNR/L-35060-12 | 50 | 60 | 35 | 110 | 165 | 0.87 | CNMG120408 |
| C6-DCLNR/L-45065-12 | 63 | 65 | 45 | 110 | 190 | 1.31 | CNMG120408 |
| C4-DCLNR/L-27055-16 | 40 | 55 | 27 | 125 | 145 | 0.46 | CNMG160612 |
| C5-DCLNR/L-35060-16 | 50 | 60 | 35 | 125 | 165 | 0.71 | CNMG160612 |
| C6-DCLNR/L-45065-16 | 63 | 65 | 45 | 125 | 190 | 1.31 | CNMG160612 |
| C5-DCLNR/L-35060-19 | 50 | 60 | 35 | 80 | 165 | 0.87 | CNMG190612 |
| C6-DCLNR/L-45065-19 | 63 | 65 | 45 | 81 | 190 | 1.31 | CNMG190612 |

## DCRNR/L






| 訂貨型號 Order Code | D | L | C | DMIN2 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|
| C4-DCRNR/L-22050-12 | 40 | 50 | 22 | 10 | 0.46 | CNMG120408 |
| C5-DCRNR/L-27060-12 | 50 | 60 | 27 | 10 | 0.87 | CNMG120408 |
| C6-DCRNR/L-35065-12 | 63 | 65 | 35 | 10 | 1.3 | CNMG120408 |
| C5-DCRNR/L-27060-16 | 50 | 60 | 27 | 10 | 0.71 | CNMG160612 |
| C6-DCRNR/L-35065-16 | 63 | 65 | 35 | 10 | 1.3 | CNMG160612 |
| C5-DCRNR/L-27060-19 | 50 | 60 | 27 | 10 | 0.71 | CNMG190612 |
| C6-DCRNR/L-35065-19 | 63 | 65 | 35 | 10 | 1.3 | CNMG190612 |









## DCKNR/L











| 訂貨型號 Order Code | D | L | C | DMIN1 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|
| C4-DCKNR/L-27050-12 | 40 | 50 | 27 | 110 | 0.49 | CNMG120408 |
| C5-DCKNR/L-35060-12 | 50 | 60 | 35 | 110 | 0.85 | CNMG120408 |
| C6-DCKNR/L-45065-12 | 63 | 65 | 45 | 110 | 1.31 | CNMG120408 |
| C5-DCKNR/L-35060-16 | 50 | 60 | 35 | 125 | 0.85 | CNMG160612 |
| C6-DCKNR/L-45065-16 | 63 | 65 | 45 | 125 | 1.31 | CNMG160612 |
| C6-DCKNR/L-45065-19 | 63 | 65 | 45 | 81 | 1.31 | CNMG190612 |

## PCLNR/L








| 訂貨型號 Order Code | D | L | C | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|
| C3-PCLNR/L-22040-12 | 32 | 40 | 22 | 0.23 | CNMG120408 |
| C4-PCLNR/L-27050-12 | 40 | 50 | 27 | 0.46 | CNMG120408 |
| C5-PCLNR/L-35060-12 | 50 | 60 | 35 | 0.88 | CNMG120408 |
| C6-PCLNR/L-45065-12 | 63 | 65 | 45 | 1.7 | CNMG120408 |
| C4-PCLNR/L-27050-16 | 40 | 50 | 27 | 0.46 | CNMG160612 |
| C5-PCLNR/L-35065-16 | 50 | 60 | 35 | 0.88 | CNMG160612 |
| C6-PCLNR/L-45065-16 | 63 | 65 | 45 | 1.3 | CNMG160612 |
| C5-PCLNR/L-35060-19 | 50 | 60 | 35 | 0.88 | CNMG190612 |
| C6-PCLNR/L-45065-19 | 63 | 65 | 45 | 1.3 | CNMG190612 |
| C5-PCLNR/L-27060-12 | 50 | 60 | 27 | 0.85 | CNMG120408 |
| C6-PCLNR/L-35065-12 | 63 | 65 | 35 | 1.36 | CNMG120408 |
| C5-PCLNR/L-27060-16 | 50 | 60 | 27 | 0.85 | CNMG160612 |
| C6-PCLNR/L-35065-16 | 63 | 65 | 35 | 1.35 | CNMG160612 |
| C5-PCLNR/L-27060-19 | 50 | 60 | 27 | 0.85 | CNMG190612 |
| C6-PCLNR/L-35065-19 | 63 | 65 | 35 | 1.35 | CNMG190612 |










## PDJNR/L-HP　PDMNR/L-HP










| 訂貨型號 Order Code | D | L | C | DMIN1 | DMIN2 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|
| C4-PDJNR/L-27050-11HP | 40 | 50 | 27 | 90 | 145 | 0.3 | DNMG110408 |
| C5-PDJNR/L-35060-11HP | 50 | 60 | 35 | 110 | 165 | 0.7 | DNMG110408 |
| C4-PDJNR/L-27050-15HP | 40 | 55 | 27 | 65 | 145 | 0.4 | DNMG150608 |
| C5-PDJNR/L-35060-1504HP | 50 | 60 | 35 | 70 | 165 | 0.73 | DNMG150608 |
| C5-PDJNR/L-35060-15HP | 50 | 60 | 35 | 65 | 165 | 0.7 | DNMG150608 |
| C6-PDJNR/L-45065-1504HP | 63 | 65 | 45 | 95 | 195 | 1.2 | DNMG150608 |
| C6-PDJNR/L-45065-15HP | 63 | 65 | 45 | 95 | 195 | 1.1 | DNMG150608 |
| | | | | | | | |
| C6-PDMNR/L-00130-15HP | 63 | 130 | 0.6 | -- | -- | 1.7 | DNMG150608 |


## DDMNR/L　DVMNR/L



DDMNR/L




DVMNR/L




| 訂貨型號 Order Code | D | L | C | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|
| C4-DDMNL-00115-15 | 50 | 115 | 1 | 1.08 | DNMG150608 |
| C6-DDMNL-00130-15 | 63 | 130 | 1 | 1.69 | DNMG150608 |
| C6-DDMNL-00130-1504 | 63 | 130 | 1 | 1.69 | DNMG150408 |
| C6-DDMNL-33120-15 | 63 | 120 | 33 | 2.3 | DNMG150608 |
| C6-DDMNL-33120-1504 | 63 | 120 | 33 | 2.3 | DNMG150608 |









## DDJNR/L　DDHNR/L







DDJNR/L





DDHNR/L




| 訂貨型號 Order Code | D | L | C | DMIN1 | DMIN2 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|
| C3-DDJNR/L-22045-11 | 32 | 45 | 22 | 60 | 121 | 0.22 | DNMG110408 |
| C4-DDJNR/L-27050-11 | 40 | 50 | 27 | 60 | 140 | 0.33 | DNMG110408 |
| C5-DDJNR/L-35060-11 | 50 | 60 | 35 | 65 | 165 | 0.7 | DNMG110408 |
| C6-DDJNR/L-45065-11 | 63 | 65 | 45 | 110 | 190 | 1.1 | DNMG110408 |
| C4-DDJNR/L-27050-15 | 40 | 55 | 27 | 110 | 145 | 0.46 | DNMG150608 |
| C4-DDJNR/L-27050-1504 | 40 | 55 | 27 | 110 | 145 | 0.46 | DNMG150408 |
| C5-DDJNR/L-35060-15 | 50 | 60 | 35 | 110 | 165 | 0.7 | DNMG150608 |
| C5-DDJNR/L-35060-1504 | 50 | 60 | 35 | 110 | 165 | 0.7 | DNMG150408 |
| C6-DDJNR/L-45065-15 | 63 | 65 | 45 | 110 | 190 | 1.1 | DNMG150608 |
| C6-DDJNR/L-45065-1504 | 63 | 65 | 45 | 110 | 190 | 1.1 | DNMG150408 |
| | | | | | | | |
| C4-DDHNR/L-27055-15 | 40 | 55 | 27 | 110 | 145 | 0.45 | DNMG150608 |
| C4-DDHNR/L-27055-1504 | 40 | 55 | 27 | 110 | 145 | 0.45 | DNMG150408 |
| C5-DDHNR/L-35060-15 | 50 | 60 | 35 | 110 | 165 | 0.7 | DNMG150608 |
| C5-DDHNR/L-35060-1504 | 50 | 60 | 35 | 110 | 165 | 0.7 | DNMG150408 |
| C6-DDHNR/L-45065-15 | 63 | 65 | 45 | 110 | 190 | 1.1 | DNMG150608 |
| C6-DDHNR/L-45065-1504 | 63 | 65 | 45 | 110 | 190 | 1.1 | DNMG150408 |

## DDNNN






| 訂貨型號 Order Code | D | L | C | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|
| C4-DDNNN-00050-11 | 40 | 50 | 0.5 | 0.33 | DNMG110408 |
| C5-DDNNN-00060-11 | 50 | 60 | 0.5 | 0.63 | DNMG110408 |
| C4-DDNNN-00050-15 | 40 | 55 | 0.5 | 0.33 | DNMG150608 |
| C4-DDNNN-00050-1504 | 40 | 55 | 0.5 | 0.33 | DNMG150408 |
| C5-DDNNN-00060-15 | 50 | 60 | 0.5 | 0.55 | DNMG150608 |
| C5-DDNNN-00060-1504 | 50 | 60 | 0.5 | 0.55 | DNMG150408 |
| C6-DDNNN-00065-15 | 63 | 65 | 0.5 | 1.1 | DNMG150608 |
| C6-DDNNN-00065-1504 | 63 | 65 | 0.5 | 1.1 | DNMG150408 |









## DDUNR/L











| 訂貨型號 Order Code | D | L | C | DMIN1 | DMIN2 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|
| C4-DDUNR/L-27050-15 | 40 | 50 | 27 | 110 | 140 | 0.45 | DNMG150608 |
| C4-DDUNR/L-27050-1504 | 40 | 50 | 27 | 110 | 140 | 0.45 | DNMG150408 |
| C5-DDUNR/L-35060-15 | 50 | 60 | 35 | 110 | 165 | 0.7 | DNMG150608 |
| C5-DDUNR/L-27050-1504 | 50 | 60 | 35 | 110 | 165 | 0.7 | DNMG150408 |
| C6-DDUNR/L-45065-15 | 63 | 65 | 45 | 110 | 190 | 1.3 | DNMG150608 |
| C6-DDUNR/L-45065-1504 | 63 | 65 | 45 | 110 | 190 | 1.3 | DNMG150408 |

## PDJNR/L








| 訂貨型號 Order Code | D | L | C | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|
| C3-PDJNR/L-22045-11 | 32 | 45 | 22 | 0.13 | DNMG110408 |
| C4-PDJNR/L-27050-11 | 40 | 50 | 27 | 0.49 | DNMG110408 |
| C5-PDJNR/L-35060-11 | 50 | 60 | 35 | 0.55 | DNMG110408 |
| C6-PDJNR/L-45065-11 | 63 | 65 | 45 | 1.1 | DNMG110408 |
| C4-PDJNR/L-27050-15 | 40 | 55 | 27 | 0.34 | DNMG150608 |
| C5-PDJNR/L-35060-15 | 50 | 60 | 35 | 0.55 | DNMG150608 |
| C6-PDJNR/L-45065-15 | 63 | 65 | 45 | 1.35 | DNMG150608 |









## DRSNR/L











| 訂貨型號 Order Code | D | L | C | DMIN1 | DMIN2 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|
| C4-DRSNR/L-27050-12 | 40 | 50 | 27 | 110 | 140 | 0.33 | RNMG120400 |
| C4-DRSNR/L-35060-12 | 50 | 60 | 35 | 110 | 165 | 0.7 | RNMG120400 |
| C5-DRSNR/L-45065-12 | 63 | 65 | 45 | 110 | 190 | 1.1 | RNMG120400 |

**PRSCR/L** **PRDCN**








| 訂貨型號 Order Code | D | L | C | M | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|
| C6-PRSCR/L-45065-25 | 63 | 65 | 45 | -- | 1.3 | RCMX250700 |
| | | | | | | |
| C6-PRDCN-00065-25A | 63 | 65 | 12.5 | 40 | 0.9 | RCMX250700 |









**PSSNR/L-HP**







| 訂貨型號 Order Code | D | L | L1 | C | C1 | DMIN1 | DMIN2 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|---|---|
| C4-PSSNR/L-27042-12HP | 40 | 42 | 50.3 | 27 | 18.7 | 90 | 145 | 0.3 | SNMG120408 |
| C5-PSSNR/L-35052-12HP | 50 | 52 | 60.3 | 35 | 26.7 | 110 | 165 | 0.7 | SNMG120408 |
| C6-PSSNR/L-45056-12HP | 63 | 56 | 64.3 | 45 | 36.7 | 10 | 200 | 1.1 | SNMG120408 |
| C5-PSSNR/L-35052-15HP | 50 | 50 | 60.2 | 35 | 24.8 | 110 | 165 | 0.7 | SNMG150612 |
| C6-PSSNR/L-45056-15HP | 63 | 54 | 64.2 | 45 | 34.8 | 110 | 200 | 1.1 | SNMG150612 |
| C6-PSSNR/L-45056-19HP | 63 | 52 | 64.5 | 45 | 32.5 | 110 | 180 | 1.1 | SNMG190612 |

## DSDNN






| 訂貨型號 Order Code | D | L | C | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|
| C3-DSDNN-00048-12 | 32 | 48 | 0.3 | 0.3 | SNMG120408 |
| C4-DSDNN-00050-12 | 40 | 50 | 0.3 | 0.4 | SNMG120408 |
| C5-DSDNN-00060-12 | 50 | 60 | 0.3 | 0.7 | SNMG120408 |
| C6-DSDNN-00065-12 | 63 | 65 | 0.3 | 1.33 | SNMG120408 |
| C5-DSDNN-00060-15 | 50 | 60 | 0.5 | 0.7 | SNMG150608 |
| C6-DSDNN-00065-15 | 63 | 65 | 0.5 | 1.1 | SNMG150608 |
| C5-DSDNN-00065-19 | 50 | 65 | 0.5 | 0.7 | SNMG190612 |
| C6-DSDNN-00070-19 | 63 | 70 | 0.5 | 1.1 | SNMG190612 |






PSC一體式外徑刀具
PSC One-Piece Turning Holder

## DSRNR/L　DSKNR/L







| 訂貨型號 Order Code | D | L | C | DMIN1 | DMIN2 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|
| C3-DSRNR-19048-12 | 32 | 48 | 19 | -- | 124 | 0.22 | SNMG120408 |
| C4-DSRNR/L-22050-12 | 40 | 50 | 20 | -- | 140 | 0.42 | SNMG120408 |
| C5-DSRNR/L-27060-12 | 50 | 60 | 27 | -- | 165 | 0.87 | SNMG120408 |
| C6-DSRNR/L-35065-12 | 63 | 65 | 35 | -- | 190 | 1.33 | SNMG120408 |
| C5-DSRNR/L-27060-15 | 50 | 60 | 27 | -- | 165 | 0.71 | SNMG150612 |
| C6-DSRNR/L-35065-15 | 63 | 65 | 35 | -- | 190 | 1.33 | SNMG150612 |
| C5-DSRNR/L-27060-19 | 50 | 60 | 27 | -- | 165 | 0.71 | SNMG190612 |
| C6-DSRNR/L-35065-19 | 63 | 65 | 35 | -- | 190 | 1.33 | SNMG190612 |
| | | | | | | | |
| C3-DSKNR-22040-12 | 32 | 40 | 22 | 60 | -- | 0.24 | SNMG120408 |
| C4-DSKNR/L-27050-12 | 40 | 50 | 27 | 110 | -- | 0.46 | SNMG120408 |
| C5-DSKNR/L-35060-12 | 50 | 60 | 35 | 110 | -- | 0.85 | SNMG120408 |
| C6-DSKNR/L-45065-12 | 63 | 65 | 45 | 110 | -- | 1.32 | SNMG120408 |
| C5-DSKNR/L-35060-15 | 50 | 60 | 35 | 125 | -- | 0.85 | SNMG150612 |
| C6-DSKNR/L-45065-15 | 63 | 65 | 45 | 125 | -- | 1.32 | SNMG150612 |
| C5-DSKNR/L-35060-19 | 50 | 60 | 35 | 125 | -- | 0.72 | SNMG190612 |
| C6-DSKNR/L-45065-19 | 63 | 65 | 45 | 125 | -- | 1.32 | SNMG190612 |




外徑刀具 Turning Holder

## DSSNR/L






| 訂貨型號 Order Code | D | L | L1 | C | C1 | DMIN1 | DMIN2 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|---|---|
| C3-DSSNR-22040-12 | 32 | 40 | 48.3 | 22 | 13.7 | 60 | 124 | 0.25 | SNMG120408 |
| C4-DSSNR/L-27042-12 | 40 | 42 | 50.3 | 27 | 18.7 | 110 | 140 | 0.33 | SNMG120408 |
| C5-DSSNR/L-35052-12 | 50 | 52 | 60.3 | 35 | 26.7 | 110 | 165 | 0.66 | SNMG120408 |
| C6-DSSNR/L-45056-12 | 63 | 56 | 64.3 | 45 | 36.7 | 110 | 190 | 1.09 | SNMG120408 |
| C4-DSSNR/L-27045-15 | 40 | 45 | 55.2 | 27 | 16.8 | 125 | 145 | 0.26 | SNMG150612 |
| C5-DSSNR/L-35050-15 | 50 | 50 | 60.2 | 36 | 24.8 | 125 | 165 | 0.7 | SNMG150612 |
| C6-DSSNR/L-45054-15 | 63 | 54 | 64.2 | 45 | 34.8 | 125 | 190 | 1.09 | SNMG150612 |
| C5-DSSNR/L-35048-19 | 50 | 48 | 60.5 | 35 | 22.5 | 125 | 165 | 0.71 | SNMG190612 |
| C6-DSSNR/L-45052-19 | 63 | 52 | 64.5 | 45 | 32.5 | 125 | 190 | 1.09 | SNMG190612 |









## PSKNR/L










| 訂貨型號 Order Code | D | L | C | L1 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|
| C4-PSKNR/L-27050-12 | 40 | 50 | 27 | 53.1 | 0.51 | SNMG120408 |
| C5-PSKNR/L-35060-12 | 50 | 60 | 35 | 63.1 | 0.86 | SNMG120408 |
| C6-PSKNR/L-45065-12 | 63 | 65 | 45 | 68.1 | 1.7 | SNMG120408 |
| C4-PSKNR/L-27050-15 | 40 | 50 | 27 | 54.8 | 0.33 | SNMG150612 |
| C5-PSKNR/L-35060-15 | 50 | 60 | 35 | 63.8 | 0.86 | SNMG150612 |
| C6-PSKNR/L-45065-15 | 63 | 65 | 45 | 68.8 | 1.7 | SNMG150612 |
| C5-PSKNR/L-35060-19 | 50 | 60 | 35 | 64.6 | 0.86 | SNMG190612 |
| C6-PSKNR/L-45065-19 | 63 | 65 | 45 | 69.6 | 1.34 | SNMG190612 |

## PSRNR/L








| 訂貨型號 Order Code | D | L | C | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|
| C4-PSRNR/L-22050-12 | 40 | 50 | 22 | 0.45 | SNMG120408 |
| C5-PSRNR/L-27060-12 | 50 | 60 | 27 | 0.87 | SNMG120408 |
| C6-PSRNR/L-35065-12 | 63 | 65 | 35 | 1.34 | SNMG120408 |
| C4-PSRNR/L-22050-15 | 40 | 50 | 22 | 0.42 | SNMG150612 |
| C5-PSRNR/L-27060-15 | 50 | 60 | 27 | 0.86 | SNMG150612 |
| C6-PSRNR/L-35065-15 | 63 | 65 | 35 | 1.34 | SNMG150612 |
| C5-PSRNR/L-27060-19 | 50 | 60 | 27 | 0.86 | SNMG190612 |
| C6-PSRNR/L-35065-19 | 63 | 65 | 35 | 1.34 | SNMG190612 |









## PSSNR/L










| 訂貨型號 Order Code | D | L | L1 | C | C1 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|
| C3-PSSNR-22032-12 | 32 | 32 | 40.3 | 22 | 13.7 | 0.21 | SNMG120408 |
| C4-PSSNR/L-27042-12 | 40 | 42 | 50.3 | 27 | 18.7 | 0.33 | SNMG120408 |
| C5-PSSNR/L-35052-12 | 50 | 52 | 60.3 | 35 | 26.7 | 0.7 | SNMG120408 |
| C6-PSSNR/L-45056-12 | 63 | 56 | 64.3 | 45 | 36.7 | 1.1 | SNMG120408 |
| C4-PSSNR/L-27040-15 | 40 | 40 | 50.2 | 27 | 16.8 | 0.33 | SNMG150612 |
| C5-PSSNR/L-35050-15 | 50 | 50 | 60.2 | 35 | 24.8 | 0.55 | SNMG150612 |
| C6-PSSNR/L-45054-15 | 63 | 54 | 64.2 | 45 | 34.8 | 1.1 | SNMG150612 |
| C5-PSSNR/L-35048-19 | 50 | 48 | 60.5 | 35 | 22.5 | 0.55 | SNMG190612 |
| C6-PSSNR/L-45052-19 | 63 | 52 | 64.5 | 45 | 32.5 | 1.1 | SNMG190612 |

## PSDNN








| 訂貨型號 Order Code | D | L | C | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|
| C4-PSDNN-00050-12 | 40 | 50 | 0.3 | 0.33 | SNMG120408 |
| C5-PSDNN-00060-12 | 50 | 60 | 0.3 | 0.71 | SNMG120408 |
| C4-PSDNN-00065-12 | 63 | 65 | 0.3 | 1.35 | SNMG120408 |
| C4-PSDNN-00050-15 | 40 | 50 | 0.5 | 0.33 | SNMG150612 |
| C5-PSDNN-00060-15 | 50 | 60 | 0.5 | 0.71 | SNMG150612 |
| C6-PSDNN-00065-15 | 63 | 65 | 0.5 | 1.1 | SNMG150612 |
| C5-PSDNN-00060-19 | 50 | 60 | 0.5 | 0.71 | SNMG190612 |
| C6-PSDNN-00065-19 | 63 | 65 | 0.5 | 1.1 | SNMG190612 |
| C6-PSDNN-00065-25 | 63 | 65 | 1 | 1.1 | SNMG250724 |









## DTGNR/L　　DTJNR/L











| 訂貨型號 Order Code | D | L | C | DMIN1 | DMIN2 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|
| C4-DTGNR/L-27050-16 | 40 | 50 | 27 | 110 | 140 | 0.55 | TNMG160408 |
| C5-DTGNL-35060-16 | 50 | 60 | 35 | 110 | 165 | 0.7 | TNMG160408 |
| C6-DTGNR/L-45065-16 | 63 | 65 | 45 | 110 | 190 | 1.3 | TNMG160408 |
| C4-DTGNR/L-27050-22 | 40 | 50 | 27 | 110 | 140 | 0.47 | TNMG220408 |
| C5-DTGNL-35060-22 | 50 | 60 | 35 | 110 | 165 | 0.84 | TNMG220408 |
| C6-DTGNR/L-45065-22 | 63 | 65 | 45 | 110 | 190 | 1.3 | TNMG220408 |
| | | | | | | | |
| C3-DTJNR/L-22040-16 | 32 | 40 | 22 | 60 | 116 | 0.22 | TNMG160408 |
| C4-DTJNR/L-27050-16 | 40 | 50 | 27 | 110 | 140 | 0.55 | TNMG160408 |
| C5-DTJNR/L-35060-16 | 50 | 60 | 35 | 110 | 165 | 0.7 | TNMG160408 |
| C6-DTJNR/L-45065-16 | 63 | 65 | 45 | 110 | 190 | 1.31 | TNMG160408 |
| C4-DTJNR/L-27050-22 | 40 | 50 | 27 | 110 | 140 | 0.55 | TNMG220408 |
| C5-DTJNR/L-35060-22 | 50 | 60 | 35 | 110 | 165 | 0.84 | TNMG220408 |
| C6-DTJNR/L-45065-22 | 63 | 65 | 45 | 110 | 190 | 1.31 | TNMG220408 |
| C6-DTJNR/L-45065-22 | 63 | 65 | 45 | 110 | 190 | 1.31 | TNMG270612 |

## DTTNR/L　　DTFNR/L






| 訂貨型號 Order Code | D | L | C | DMIN1 | DMIN2 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|
| C4-DTTNR/L-22050-16 | 40 | 50 | 22 | -- | 140 | 0.34 | TNMG160408 |
| C5-DTTNL-27060-16 | 50 | 60 | 27 | -- | 165 | 0.7 | TNMG160408 |
| C5-DTTNR/L-27060-22 | 50 | 60 | 27 | -- | 165 | 0.7 | TNMG220408 |
| C6-DTTNR/L-35065-22 | 63 | 65 | 35 | -- | 190 | 1.1 | TNMG220408 |
| | | | | | | | |
| C3-DTFNL-22040-16 | 32 | 40 | 22 | 60 | 116 | 0.22 | TNMG160408 |
| C4-DTFNR/L-27050-16 | 40 | 50 | 27 | 110 | 140 | 0.42 | TNMG160408 |
| C5-DTFNR/L-35060-16 | 50 | 60 | 35 | 110 | 165 | 0.7 | TNMG160408 |
| C6-DTFNR/L-45065-16 | 63 | 65 | 45 | 110 | 190 | 1.3 | TNMG160408 |
| C4-DTFNR/L-27050-22 | 40 | 50 | 27 | 110 | 140 | 0.55 | TNMG220408 |
| C5-DTFNR/L-35060-22 | 50 | 60 | 35 | 110 | 165 | 0.84 | TNMG220408 |
| C6-DTFNR/L-45065-22 | 63 | 65 | 45 | 110 | 190 | 1.3 | TNMG220408 |









## MTJNR/L











| 訂貨型號 Order Code | D | L | C | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|
| C3-MTJNR/L-22040-16 | 32 | 40 | 22 | 0.22 | TNMG160408 |
| C4-MTJNR/L-27050-16 | 40 | 50 | 27 | 0.42 | TNMG160408 |
| C5-MTJNR/L-35060-16 | 50 | 60 | 35 | 0.85 | TNMG160408 |
| C4-MTJNR/L-27050-22 | 40 | 50 | 27 | 0.42 | TNMG220408 |
| C5-MTJNR/L-35060-22 | 50 | 60 | 35 | 0.89 | TNMG220408 |
| C6-MTJNR/L-45065-22 | 63 | 65 | 45 | 1.3 | TNMG220408 |
| C6-MTJNR/L-45065-27 | 63 | 65 | 45 | 1.3 | TNMG270612 |

**DVJNR/L** **DVVNN**






| 訂貨型號 Order Code | D | L | C | DMIN1 | DMIN2 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|
| C4-DVJNR/L-27062-16 | 40 | 62 | 27 | 60 | 152 | 0.5 | VNMG160408 |
| C5-DVJNR/L-35065-16 | 50 | 65 | 35 | 65 | 170 | 0.7 | VNMG160408 |
| C4-DVJNR/L-27062-16 | 63 | 65 | 45 | 81 | 190 | 1.3 | VNMG160408 |
| C5-DVJNR/L-35065-16 | 80 | 80 | 55 | 100 | 250 | 2.31 | VNMG160408 |
| | | | | | | | |
| C4-DVVNN-00062-16 | 40 | 62 | 0.6 | -- | 152 | 0.34 | VNMG160408 |
| C5-DVVNN-00065-16 | 50 | 65 | 0.6 | -- | 170 | 0.46 | VNMG160408 |
| C6-DVVNN-00065-16 | 63 | 65 | 0.6 | -- | 190 | 0.9 | VNMG160408 |









**MVJNR/L**










| 訂貨型號 Order Code | D | L | C | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|
| C3-MVJNR/L-22045-16 | 32 | 45 | 22 | 0.22 | VNMG160408 |
| C4-MVJNR/L-27050-16 | 40 | 50 | 27 | 0.66 | VNMG160408 |
| C5-MVJNR/L-35060-16 | 50 | 60 | 35 | 0.85 | VNMG160408 |

## DWLNR/L






| 訂貨型號 Order Code | D | L | C | DMIN1 | DMIN2 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|
| C3-DWLNR/L-22040-06 | 32 | 40 | 22 | 60 | 116 | 0.21 | WNMG060408 |
| C4-DWLNR/L-27050-06 | 40 | 50 | 27 | 60 | 140 | 0.42 | WNMG060408 |
| C5-DWLNR/L-35060-06 | 50 | 60 | 35 | 65 | 165 | 0.7 | WNMG060408 |
| C6-DWLNR/L-45065-06 | 63 | 65 | 45 | 81 | 190 | 1.3 | WNMG060408 |
| C4-DWLNR/L-27050-08 | 40 | 50 | 27 | 110 | 140 | 0.42 | WNMG080408 |
| C5-DWLNR/L-35060-08 | 50 | 60 | 35 | 110 | 165 | 0.7 | WNMG080408 |
| C6-DWLNR/L-45065-08 | 63 | 65 | 45 | 110 | 190 | 1.3 | WNMG080408 |









## MWLNR/L









| 訂貨型號 Order Code | D | L | C | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|
| C3-MWLNR/L-22040-06 | 32 | 40 | 22 | 0.22 | WNMG060408 |
| C4-MWLNR/L-27050-06 | 40 | 50 | 27 | 0.42 | WNMG060408 |
| C4-MWLNR/L-27050-08 | 40 | 50 | 27 | 0.31 | WNMG080408 |
| C5-MWLNR/L-35060-08 | 50 | 60 | 35 | 0.85 | WNMG080408 |

## SCLCR/L-HPA







| 訂貨型號 Order Code | D | L | C | DMIN1 | DMIN2 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|
| C3-SCLCR/L-22040-09HPA | 32 | 40 | 22 | 130 | 116 | 0.19 | CCMT09T308 |
| C4-SCLCR/L-27050-09HPA | 40 | 50 | 27 | 130 | 140 | 0.38 | CCMT09T308 |
| C4-SCLCR/L-27050-12HPA | 40 | 50 | 27 | 130 | 140 | 0.38 | CCMT120408 |
| C6-SCLCR/L-45065-12HPA | 63 | 65 | 45 | 125 | 190 | 1.21 | CCMT120408 |








## SCLCR/L







| 訂貨型號 Order Code | D | L | C | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|
| C3-SCLCR/L-22040-09 | 32 | 40 | 22 | 0.13 | CCMT09T308 |
| C4-SCLCR/L-27050-09 | 40 | 50 | 27 | 0.34 | CCMT09T308 |
| C5-SCLCR/L-35060-09 | 50 | 60 | 35 | 0.64 | CCMT09T308 |
| C6-SCLCR/L-45065-09 | 63 | 65 | 45 | 1.1 | CCMT09T308 |
| C3-SCLCR/L-22040-12 | 32 | 40 | 22 | 0.13 | CCMT120408 |
| C4-SCLCR/L-27050-12 | 40 | 50 | 27 | 0.34 | CCMT120408 |
| C5-SCLCR/L-35060-12 | 50 | 60 | 35 | 0.64 | CCMT120408 |
| C6-SCLCR/L-45065-12 | 63 | 65 | 45 | 1.1 | CCMT120408 |

## SCMCN






| 訂貨型號 Order Code | D | L | C | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|
| C3-SCMCN-00090-12 | 63 | 90 | 0 | 1.3 | CCMT120408 |






## SDJCR/L-HPA








| 訂貨型號 Order Code | D | L | C | DMIN2 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|
| C3-SDJCR/L-22040-11HPA | 32 | 40 | 22 | 116 | 0.19 | DCMT11T308 |
| C4-SDJCR/L-27050-11HPA | 40 | 50 | 27 | 140 | 0.38 | DCMT11T308 |
| C5-SDJCR/L-35060-11HPA | 50 | 60 | 35 | 165 | 0.7 | DCMT11T308 |
| C6-SDJCR/L-45065-11HPA | 63 | 65 | 45 | 190 | 1.21 | DCMT11T308 |

**SDNCN** **SDJCR/L**






SDNCN




SDJCR/L




| 訂貨型號 Order Code | D | L | C | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|
| C3-SDNCN-00040-11 | 32 | 40 | 0.5 | 0.13 | DCMT11T308 |
| C4-SDNCN-00050-11 | 40 | 50 | 0.5 | 0.45 | DCMT11T308 |
| C5-SDNCN-00060-11 | 50 | 60 | 0.5 | 0.58 | DCMT11T308 |
| | | | | | |
| C3-SDJCR-22040-07 | 32 | 40 | 22 | 0.13 | DCMT070204 |
| C4-SDJCR-27050-07 | 40 | 50 | 27 | 0.34 | DCMT070204 |
| C3-SDJCR/L-22040-11 | 32 | 40 | 22 | 0.13 | DCMT11T308 |
| C4-SDJCR/L-27050-11 | 40 | 50 | 27 | 0.34 | DCMT11T308 |
| C5-SDJCR/L-35060-11 | 50 | 60 | 35 | 0.62 | DCMT11T308 |
| C6-SDJCR/L-45065-11 | 63 | 65 | 45 | 1.1 | DCMT11T308 |









**SRSCR/L-HP**











| 訂貨型號 Order Code | D | L | C | DMIN1 | DMIN2 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|
| C5-SRSCR/L-35060-10HP | 50 | 60 | 35 | 130 | 270 | 0.7 | RCMT10T3M0 |
| C6-SRSCR/L-45065-10HP | 63 | 65 | 45 | 140 | 300 | 1.21 | RCMT10T3M0 |
| C5-SRSCR/L-35060-12HP | 50 | 60 | 35 | 130 | 270 | 0.7 | RCMT1204M0 |
| C6-SRSCR/L-45065-12HP | 63 | 65 | 45 | 120 | 195 | 1.1 | RCMT1204M0 |

## SRDCN-HPA






| 訂貨型號 Order Code | D | L | C | DMIN1 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|
| C5-SRDCN-00060-10AHPA | 50 | 60 | 5 | 80 | 0.7 | RCMT10T3M0 |
| C4-SRDCN-00050-12AHPA | 40 | 50 | 6 | 80 | 0.38 | RCMT1204M0 |
| C5-SRDCN-00060-12AHPA | 50 | 60 | 6 | 80 | 0.7 | RCMT1204M0 |
| C6-SRDCN-00065-12AHPA | 63 | 65 | 6 | 80 | 1.21 | RCMT1204M0 |
| C6-SRDCN-00065-16AHPA | 63 | 65 | 8 | 80 | 1.21 | RCMT1606M0 |







PSC一體式外徑刀具
PSC One-Piece Turning Holder

## SRSCR/L-HPA











| 訂貨型號 Order Code | D | L | C | DMIN1 | DMIN2 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|
| C5-SRSCR/L-35060-12HPA | 50 | 60 | 35 | 150 | 165 | 0.7 | RCMT1204M0 |
| C6-SRSCR/L-45065-12HPA | 63 | 65 | 45 | 150 | 190 | 1.21 | RCMT1204M0 |
| C5-SRSCR/L-35060-16HPA | 50 | 60 | 35 | 175 | 165 | 0.7 | RCMT1606M0 |
| C6-SRSCR/L-45065-16HPA | 63 | 65 | 45 | 175 | 190 | 1.21 | RCMT1606M0 |

外徑刀具 Turning Holder

## SRDCN









| 訂貨型號 Order Code | D | L | C | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|
| C6-SRDCN-00100-10 | 63 | 100 | 5 | 1.35 | RCMT10T3M0 |
| C6-SRDCN-00100-16 | 63 | 100 | 8 | 1.35 | RCMT1606M0 |






## SRDCN-A









| 訂貨型號 Order Code | D | L | C | M | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|
| C4-SRDCN-00050-06A | 40 | 50 | 3 | 12 | 0.34 | RCMT0602M0 |
| C5-SRDCN-00060-06A | 50 | 60 | 3 | 12 | 0.7 | RCMT0602M0 |
| C4-SRDCN-00050-08A | 40 | 50 | 4 | 16 | 0.28 | RCMT0803M0 |
| C5-SRDCN-00060-08A | 50 | 60 | 4 | 16 | 0.68 | RCMT0803M0 |
| C4-SRDCN-00050-10A | 40 | 50 | 5 | 25 | 0.33 | RCMT10T3M0 |
| C5-SRDCN-00060-10A | 50 | 60 | 5 | 25 | 0.61 | RCMT10T3M0 |
| C6-SRDCN-00065-10A | 63 | 65 | 5 | 25 | 1.1 | RCMT10T3M0 |
| C4-SRDCN-00050-12A | 40 | 50 | 6 | 28 | 0.33 | RCMT1204M0 |
| C5-SRDCN-00060-12A | 50 | 60 | 6 | 28 | 0.62 | RCMT1204M0 |
| C6-SRDCN-00065-12A | 63 | 65 | 6 | 28 | 1.1 | RCMT1204M0 |
| C5-SRDCN-00060-16A | 50 | 60 | 8 | 35 | 0.58 | RCMT1606M0 |
| C6-SRDCN-00065-16A | 63 | 65 | 8 | 35 | 0.9 | RCMT1606M0 |
| C5-SRDCN-00060-20A | 50 | 60 | 10 | 35 | 0.62 | RCMT2006M0 |
| C6-SRDCN-00065-20A | 63 | 65 | 10 | 40 | 0.9 | RCMT2006M0 |




外徑刀具 Turning Holder

## SRSCR/L






| 訂貨型號 Order Code | D | L | C | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|
| C4-SRSCR-27050-06 | 40 | 50 | 27 | 0.33 | RCMT0602M0 |
| C5-SRSCR/L-35060-06 | 50 | 60 | 35 | 0.7 | RCMT0602M0 |
| C4-SRSCR/L-27050-08 | 40 | 50 | 27 | 0.33 | RCMT0803M0 |
| C5-SRSCR/L-35060-08 | 50 | 60 | 35 | 0.7 | RCMT0803M0 |
| C3-SRSCR-22040-10 | 32 | 40 | 22 | 0.22 | RCMT10T3M0 |
| C4-SRSCR/L-27050-10 | 40 | 50 | 27 | 0.33 | RCMT10T3M0 |
| C5-SRSCR/L-35060-10 | 50 | 60 | 35 | 0.7 | RCMT10T3M0 |
| C6-SRSCR/L-45065-10 | 63 | 65 | 45 | 1.1 | RCMT10T3M0 |
| C4-SRSCR/L-27050-12 | 50 | 50 | 27 | 0.4 | RCMT1204M0 |
| C5-SRSCR/L-35060-12 | 50 | 60 | 35 | 0.7 | RCMT1204M0 |
| C6-SRSCR/L-45065-12 | 63 | 65 | 45 | 1.1 | RCMT1204M0 |
| C5-SRSCR/L-35060-16 | 50 | 60 | 35 | 0.7 | RCMT1606M0 |
| C6-SRSCR/L-45065-16 | 63 | 65 | 45 | 1.1 | RCMT1606M0 |
| C5-SRSCR/L-35060-20 | 50 | 60 | 35 | 0.86 | RCMT2006M0 |
| C6-SRSCR/L-45065-20 | 63 | 65 | 45 | 1.35 | RCMT2006M0 |






PSC一體式外徑刀具
PSC One-Piece Turning Holder

## STJCR/L　STGCR/L









| 訂貨型號 Order Code | D | L | C | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|
| C4-STJCR-27050-11-B1 | 40 | 50 | 27 | 0.34 | TCMT110304 |
| C4-STGCR-27050-16 | 40 | 50 | 27 | 0.34 | TCMT16T308 |
| C4-STJCR-27050-16 | 40 | 50 | 27 | 0.34 | TCMT16T308 |
| C5-STGCR/L-35060-16 | 50 | 60 | 35 | 0.64 | TCMT16T308 |
| C5-STJCR-35060-16 | 50 | 60 | 35 | 0.64 | TCMT16T308 |
| C6-STGCR/L-45065-16 | 63 | 65 | 45 | 1.1 | TCMT16T308 |

## SVJBR/L-HP　SVUBR/L-HP







| 訂貨型號 Order Code | D | L | C | DMIN1 | DMIN2 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|---|
| C4-SVJBR/L-27050-16HP | 40 | 50 | 27 | -- | 140 | 0.3 | VBMT160408 |
| C5-SVJBR/L-35060-16HP | 50 | 60 | 35 | -- | 200 | 0.7 | VBMT160408 |
| C6-SVJBR/L-45065-16HP | 63 | 65 | 45 | -- | 200 | 1.3 | VBMT160408 |
| | | | | | | | |
| C6-SVUBR/L-45065-16HP | 63 | 65 | 45 | 85 | -- | 1.3 | VBMT160408 |









## SVHBR/L-HPA











| 訂貨型號 Order Code | D | L | C | DMIN2 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|
| C4-SVHBR/L-27050-16HPA | 40 | 50 | 27 | 140 | 0.38 | VBMT160408 |
| C5-SVHBR/L-35060-16HPA | 50 | 60 | 35 | 165 | 0.7 | VBMT160408 |
| C6-SVHBR/L-45065-16HPA | 63 | 65 | 45 | 190 | 1.21 | VBMT160408 |

## SVJBR/L-HPAB






| 訂貨型號 Order Code | D | L | C | DMIN2 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|
| C3-SVJBR/L-22040-11HPAB1 | 32 | 40 | 22 | 116 | 0.19 | VBMT110304 |
| C4-SVJBR/L-27050-11HPAB1 | 40 | 50 | 27 | 140 | 0.38 | VBMT110304 |
| C4-SVJBR/L-27050-16HPA | 40 | 50 | 27 | 140 | 0.38 | VBMT160408 |
| C5-SVJBR/L-35060-16HPA | 50 | 60 | 35 | 165 | 0.7 | VBMT160408 |
| C6-SVJBR/L-45065-16HPA | 63 | 65 | 45 | 190 | 1.21 | VBMT160408 |








## SVHBR/L　SVJBR/L






SVHBR/L





SVJBR/L




| 訂貨型號 Order Code | D | L | C | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|
| C3-SVHBR/L-22040-11 | 32 | 40 | 22 | 0.13 | VBMT110204 |
| C3-SVHBR/L-22040-11-B1 | 32 | 40 | 22 | 0.13 | VBMT110204 |
| C4-SVHBR/L-27050-11 | 40 | 50 | 27 | 0.49 | VBMT110204 |
| C4-SVHBR/L-27050-11-B1 | 40 | 50 | 27 | 0.45 | VBMT110204 |
| C5-SVHBR/L-35060-11 | 50 | 60 | 35 | 0.71 | VBMT110204 |
| C4-SVHBR/L-27050-16 | 40 | 50 | 27 | 0.45 | VBMT160408 |
| C5-SVHBR/L-35060-16 | 50 | 60 | 35 | 0.58 | VBMT160408 |
| C6-SVHBR/L-45065-16 | 63 | 65 | 45 | 0.9 | VBMT160408 |
| | | | | | |
| C3-SVJBR/L-22040-11 | 32 | 40 | 22 | 0.13 | VBMT110204 |
| C3-SVJBR/L-22040-11-B1 | 32 | 40 | 22 | 0.13 | VBMT110204 |
| C4-SVJBR/L-27050-11 | 40 | 50 | 27 | 0.48 | VBMT110204 |
| C4-SVJBR/L-27050-11-B1 | 40 | 50 | 27 | 0.45 | VBMT110204 |
| C5-SVJBR/L-35060-11 | 50 | 60 | 35 | 0.71 | VBMT110204 |
| C4-SVJBR/L-27050-16 | 40 | 50 | 27 | 0.3 | VBMT160408 |
| C5-SVJBR/L-35060-16 | 50 | 60 | 35 | 0.58 | VBMT160408 |
| C6-SVJBR/L-45065-16 | 63 | 65 | 45 | 0.89 | VBMT160408 |

## SVVBN






| 訂貨型號 Order Code | D | L | C | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|
| C3-SVVBN-00040-11 | 32 | 40 | 0.3 | 0.13 | VBMT110204 |
| C3-SVVBN-00040-11-B1 | 32 | 40 | 0.3 | 0.13 | VBMT110304 |
| C4-SVVBN-00050-11 | 40 | 50 | 0.3 | 0.28 | VBMT110204 |
| C4-SVVBN-00050-11-B1 | 40 | 50 | 0.3 | 0.28 | VBMT110304 |
| C4-SVVBN-00050-16 | 40 | 50 | 0.6 | 0.28 | VBMT160408 |
| C5-SVVBN-00060-16 | 50 | 60 | 0.6 | 0.52 | VBMT160408 |
| C6-SVVBN-00065-16 | 63 | 65 | 0.6 | 0.89 | VBMT160408 |








## SVMBL








| 訂貨型號 Order Code | D | L | C | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|
| C5-SVMBL-00115-16 | 50 | 115 | 1.2 | 0.87 | VBMT160408 |
| C6-SVMBL-00130-16 | 63 | 130 | 1.2 | 1.69 | VBMT160408 |
| C5-SVMBL-33120-16 | 63 | 120 | 33 | 1.69 | VBMT160408 |

## SVSBR/L-HPA







| 訂貨型號 Order Code | D | L | C | DMIN2 | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|---|
| C4-SVSBR/L-27050-16HPA | 40 | 50 | 27 | 140 | 0.38 | VBMT160408 |
| C5-SVSBR/L-35060-16HPA | 50 | 60 | 35 | 165 | 0.7 | VBMT160408 |
| C6-SVSBR/L-45065-16HPA | 63 | 65 | 45 | 190 | 1.21 | VBMT160408 |









## R/LFA-E










| 訂貨型號 Order Code | D | L | C | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|
| C3-R/LFA203015-22050E | 32 | 50 | 22 | 0.3 | A2030N00CM02 |
| C3-R/LFA205015-22050E | 32 | 50 | 22 | 0.3 | A2050N00CM03 |
| C4-R/LFA203015-27055E | 40 | 50 | 27 | 0.4 | A2030N00CM02 |
| C4-R/LFA205015-27055E | 40 | 50 | 27 | 0.4 | A2050N00CM03 |
| C5-R/LFA203015-35055E | 50 | 55 | 35 | 0.6 | A2030N00CM02 |
| C5-R/LFA205015-35055E | 50 | 55 | 35 | 0.6 | A2050N00CM03 |
| C6-R/LFA203015-45065E | 63 | 65 | 45 | 1.2 | A2030N00CM02 |
| C6-R/LFA205015-45065E | 63 | 65 | 45 | 1.2 | A2050N00CM03 |

# PSC一體式外徑刀具
PSC One-Piece Turning Holder

**SER/L**







| 訂貨型號 Order Code | D | L | C | Kg | 刀片型號 Insert Type |
|---|---|---|---|---|---|
| C3-SER/L-22040-16 | 32 | 40 | 22 | 0.3 | 16ER ISO |
| C4-SER/L-27050-16 | 40 | 50 | 27 | 0.5 | 16ER ISO |
| C5-SER/L-35060-16 | 50 | 60 | 35 | 0.5 | 16ER ISO |
| C6-SER/L-45065-16 | 63 | 65 | 45 | 0.5 | 16ER ISO |






## 適用ISO26623-1 PSC系統
DESIGNED FOR ISO26623-1 PSC SYSTEM



## PSC軸向雙面外徑刀座
## PSC DOUBLE SIDE TURNING HOLDER








| 訂貨型號 Order Code | L | L1 | H | H1 | H2 | h | 重量(Kg) Weight |
|---|---|---|---|---|---|---|---|
| C5-ETA2020-90 | 90 | 60 | 20 | 25 | 42.5 | 30 | 2 |
| C5-ETA1"×1"-4" | 4" | 2.5" | 1" | 1.25" | 2" | 1.5" | 2 |
| C6-ETA2525-105 | 105 | 72 | 25 | 27 | 52.5 | 38 | 3.5 |
| C6-ETA1"×1"-4" | 4" | 2.5" | 1" | 1.25" | 2" | 1.5" | 3.5 |

## PSC 45度外徑刀座
## PSC 45 DEGREE TURNING HOLDER






| 訂貨型號 Order Code | L | L1 | H | H1 | H2 | R | C | 重量(Kg) Weight |
|---|---|---|---|---|---|---|---|---|
| C5-ETN2020R-100 | 100 | 66 | 20 | 25 | 36 | 36 | 45° | 1.9 |
| C5-ETN1"×1"R-4.5" | 4.5" | 2.75" | 1" | 1.25" | 1.75" | 1.75" | 45° | 1.9 |
| C6-ETN2525R-100 | 100 | 80 | 25 | 31.5 | 45 | 45 | 45° | 2.7 |
| C6-ETN1"×1"R-4.5" | 4.5" | 2.75" | 1" | 1.25" | 1.75" | 1.75" | 45° | 2.7 |





### ⚠注意CAUTION

爲了得到加工時的最佳效果，請將車刀杆割短至所用刀座的L1尺寸。
Please trim the square shank holder to L1 dimension for maximum efficiency.



## PSC徑向外徑刀座
## PSC RADIAL TURNING HOLDER








| 訂貨型號 Order Code | L | L1 | H | H1 | H2 | h | 重量(Kg) Weight |
|---|---|---|---|---|---|---|---|
| C5-ETH2525-80 | 80 | 57 | 20 | 32 | 40 | 35 | 2.6 |
| C5-ETH1"×1"-3.5" | 3.5" | 2.5" | 1" | 1.25" | 2" | 1.5" | 2.6 |
| C6-ETH2525-90 | 90 | 63 | 25 | 32 | 49.5 | 40 | 3.4 |
| C6-ETH1"×1"-3.5" | 3.5" | 2.5" | 1" | 1.25" | 2" | 1.5" | 3.4 |

## PSC軸向外徑刀座
## PSC AXIAL TURNING HOLDER






| 訂貨型號 Order Code | L | L1 | H | H1 | H2 | h1 | h2 | 重量(Kg) Weight |
|---|---|---|---|---|---|---|---|---|
| C5-ETV2525R-100 | 100 | 75 | 20 | 41 | 32 | 30 | 30 | 2.6 |
| C5-ETV1"×1"R-5" | 5" | 2.5" | 1" | 2" | 1.25" | 1.25" | 1.5" | 2.6 |
| C6-ETV2525R-125 | 125 | 92 | 25 | 48 | 32 | 35 | 38 | 3.6 |
| C6-ETV1"×1"R-5" | 5" | 2.5" | 1" | 2" | 1.25" | 1.25" | 1.5" | 3.6 |





### ⚠注意CAUTION

爲了得到加工時的最佳效果，請將車刀杆割短至所用刀座的L1尺寸。
Please trim the square shank holder to L1 dimension for maximum efficiency.

## PSC軸向三面外徑刀座
## PSC TURNING HOLDER WITH TRIPLE ADAPTER








| 訂貨型號 Order Code | L | L1 | H | R | 適用刀杆 Square Shank dimension | 刀杆鎖緊螺絲 Lock Screw | 重量(Kg) Weight |
|---|---|---|---|---|---|---|---|
| C5-ETS2020R-100 | 100 | 70 | 20 | 40 | 20×20 | M12-25 | 2.2 |
| C5-ETS1"×1"R-4.75" | 4.75" | 3" | 1" | 40 | 1"×1" | M12-25 | 2.2 |
| C6-ETS2525R-120 | 120 | 90 | 25 | 45 | 25×25 | M12-25 | 3.0 |
| C6-ETS1"×1"R-4.75" | 4.75" | 3" | 1" | 45 | 1"×1" | M12-25 | 3.0 |






## PSC模組化四工位車刀座
## PSC TURNING HOLDER WITH QUAD-INTERCHANGEABLE HEAD





| 訂貨型號 Order Code | L | ØD | ØD1 | Ød | 堵水螺絲 Coolant Plug | 刀頭鎖緊螺絲 Lock Screw For The Head | 出水銷 Nozzle | O型圈 O-Ring | 重量(Kg) Weight |
|---|---|---|---|---|---|---|---|---|---|
| C5-4MZCDB-D4-D100-120 | 120 | 90 | 100 | 34 | M5-5 | M5-20 | D4-CSX | D9-1.5 | 2.7 |
| C5-4MZCDB-D4-D125-120 | 120 | 120 | 125 | 34 | M5-5 | M5-20 | D4-CSX | D9-1.5 | 3.2 |
| C6-4MZCDB-D4-D100-120 | 120 | 90 | 100 | 34 | M5-5 | M5-20 | D4-CSX | D9-1.5 | 3.1 |
| C6-4MZCDB-D4-D125-120 | 120 | 120 | 125 | 34 | M5-5 | M5-20 | D4-CSX | D9-1.5 | 3.7 |

▲模組化四工位車刀座，在一把刀柄本體上安裝有四個不同用途的模組化車刀頭，滿足粗車、精車、切槽、車螺紋等不同的車削要求，當一個工位完成後，祇需將刀具主軸旋轉90度的倍數就能用不同的刀具對不同的工序進行加工，減少了多次換刀的時間，縮短了零件加工的時間。每個工位上可以隨意更換不同用途的刀頭，不需要換刀柄，減少了備刀時間，能有效降低生產成本。而且同時裝配四個車刀頭等于實現了四把刀柄的功能，解決了機床刀庫容量限制的問題。


Adopt modular design,one tool holder can assemble four different cutting heads.One tool has four use.Reduce tool change time.Add the tool magazine capacity.Reduce cost and improve efficiency.

| 1 | 2 | 3 | 4 | 5 | 6 |
|---|---|---|---|---|---|
| 本體 Main Body | 模組化車刀頭 Interchangeable Head | 刀頭鎖緊螺絲 Lock Screw For The Head | O型圈 O-Ring | 出水銷 Nozzle | 堵水螺絲 Coolant Plug |







適用刀頭型號:D4
Head Type:D4




粗車 Rough turning　精車 Fine turning　切槽 Notch cutting　車螺紋 Screw cutting

## PSC模組化四工位車刀座
## PSC TURNING HOLDER WITH QUAD-INTERCHANGEABLE HEAD




| 訂貨型號 Order Code | L | ØD | ØD1 | Ød | 堵水螺絲 Coolant Plug | 刀頭鎖緊螺絲 Lock Screw For The Head | 出水銷 Nozzle | O型圈 O-Ring | 重量(Kg) Weight |
|---|---|---|---|---|---|---|---|---|---|
| C5-3MZCDB-D4-D100-120 | 120 | 90 | 100 | 34 | M5-5 | M5-20 | D4-CSX | D9-1.5 | 2.2 |
| C5-3MZCDB-D4-D125-120 | 120 | 112 | 125 | 34 | M5-5 | M5-20 | D4-CSX | D9-1.5 | 2.8 |
| C6-3MZCDB-D4-D100-120 | 120 | 90 | 100 | 34 | M5-5 | M5-20 | D4-CSX | D9-1.5 | 2.6 |
| C6-3MZCDB-D4-D125-120 | 120 | 112 | 125 | 34 | M5-5 | M5-20 | D4-CSX | D9-1.5 | 3.2 |




適用刀頭型號:D4
Head Type:D4




| 1 | 2 | 3 | 4 | 5 | 6 |
|---|---|---|---|---|---|
| 本體 Main Body | 模組化車刀頭 Interchangeable Head | 刀頭鎖緊螺絲 Lock Screw For The Head | O型圈 O-Ring | 出水銷 Nozzle | 堵水螺絲 Coolant Plug |






## PSC模組化外徑車刀座
## PSC TURNING HOLDER WITH INTERCHANGEABLE HEAD



雙斜面設計，刀頭可根據不同的使用條件，安裝在任意一個斜面上，祇需改變主軸的旋轉方向，右手刀就可以成爲左手刀，如圖所示：
Double oblique surface design,the cutting head can be fixed on any surface,according to different using conditions.Simply by changing the totation direction of the spindle,the right hand can change into left hand.



▲專利模組化設計，斜度設計使鎖緊後刀頭與刀柄緊密貼合，穩定性高，剛性强。刀頭分體設計，當刀頭損壞時，無需整支報廢，更換刀頭即可。有多種刀頭可供選擇，靈活組合。中心出水，出水口采用鋼球設計，調整方便。
▲The modular design is patented.Oblique degree design make the cutting head and the holder contact tightly.it has high stability and rigidity.Sub-body design,if the cutting head is broken,you do not need to change the whole holder,only replace the cutting head.Various cutting heads can be chosen,flexible combination.Internal coolant supply with steel ball design,adjustment easily.








傾斜型-CX
obliquity type-CX



正交型-DX
orthogonal type-DX



| 訂貨型號 Order Code | 刀頭型號 Head Type | L | Ød1 | 刀頭鎖緊螺絲 Lock Screw For The Head | 噴水頭 Nozzle | 定位銷 Pin | 重量(Kg) Weight |
|---|---|---|---|---|---|---|---|
| C5-DXCDB-40 | DX/CX | 40 | 62 | M8-20 | 12×8PST | DX-DWX | 1.0 |
| C6-DXCDB-40 | DX/CX | 40 | 62 | M8-20 | 12×8PST | DX-DWX | 1.8 |
| C5-DXCDB-80 | DX/CX | 80 | 62 | M8-20 | 12×8PST | DX-DWX | 1.2 |
| C6-DXCDB-80 | DX/CX | 80 | 62 | M8-20 | 12×8PST | DX-DWX | 2.1 |

## CAPTO外徑車削刀具型號表示
**Models designations of CAPTO turning holders**

| 接口尺寸 Interface size |
|---|
| C3=PSC32 |
| C4=PSC40 |
| C5=PSC50 |
| C6=PSC63 |
| C8=PSC80 |
| C8X=PSC80X |

| 刀片的後角 Insert clearance | |
|---|---|
| A | 3° |
| B | 5° |
| C | 7° |
| D | 15° |
| E | 20° |
| F | 25° |
| G | 30° |
| N | 0° |
| P | 11° |

| 刀片切削刃長度 Insert edge length | | | | | |
|---|---|---|---|---|---|
| 刀片內切圓 Insert inscribeb circle | 6.35 | 7.94 | 9.525 | 12.00 | 12.70 |
| 80° | 06 | 08 | 09 | — | 12 |
| 55° | 07 | — | 11 | — | 15 |
| 35° | 11 | — | 16 | — | — |
| | — | — | — | 12 | — |
| | 11 | 13 | 16 | — | 22 |
| | — | — | 09 | — | 12 |


| 刀具軸角度（例1） Tool axle angle(CASE 1) | |
|---|---|
| DX | 正交型 orthogonal type |
| CX | 倾斜型 obliquity type |

C6 — P C L N R — GX 12 — DX


| 夾緊機構 Clamp mechanism | |
|---|---|
| A | 背面夾緊式 Back clamp system |
| C | 上压夹紧式 clamp-on system |
| D | 双夹紧式 Double clamp system |
| E | 偏心销式 Off-set pin system |
| M | 复合夹紧式 Multi-clamp system |
| P | 销钉，杠杆式 Pin lock system |
| S | 螺钉式 Screw-on system |
| T | 锥孔锁紧式 Taper lock system |
| W | 上楔形式 Wedge-on system |

| 刀片形狀 Insert geometry | |
|---|---|
| C | 80° |
| D | 55° |
| K | 55° |
| R | |
| S | |
| T | |
| V | 35° |
| W | 80° |
| L | |
| H | 120° |
| A | 85° |
| B | 82° |
| E | 75° |
| M | 86° |
| O | 135° |
| P | 108° |

切刃形状 Cutting edge gemoetry





切刃方向 Hand





| 刀具長度 l (mm) Tool length | | | | | |
|---|---|---|---|---|---|
| A | 32 | H | 100 | P | 170 |
| B | 40 | HX | 105 | PX | 175 |
| BX | 45 | J | 110 | Q | 180 |
| C | 50 | JX | 120 | QX | 190 |
| CX | 55 | K | 125 | R | 200 |
| D | 60 | KX | 130 | S | 250 |
| DX | 65 | KXX | 135 | T | 300 |
| E | 70 | L | 140 | U | 350 |
| EX | 75 | LX | 145 | V | 400 |
| F | 80 | M | 150 | W | 450 |
| FX | 85 | MX | 155 | X | 特殊尺寸 |
| G | 90 | N | 160 | Y | 500 |
| GX | 95 | NX | 165 | | |

例1
CASE 1




C6-PCLNR-F12-DX





C6-PCLNR-GX12-CX








## PCLN



CN□ □1204□ □












| 訂貨型號 Order Code | C | L | 刀柄型號 Shank Model | 刀頭型號 Head Type | 重量( Kg) Weight |
|---|---|---|---|---|---|
| C5-PCLNR-F12-DX | 45 | 80 | C5-DXCDB-40 | PCLNR-4540-12-DX | 1.5 |
| C6-PCLNR-F12-DX | 45 | 80 | C6-DXCDB-40 | | 2.3 |
| C5-PCLNR-JX12-DX | 45 | 120 | C5-DXCDB-80 | | 1.7 |
| C6-PCLNR-JX12-DX | 45 | 120 | C6-DXCDB-80 | | 2.6 |
| C5-PCLNR-GX12-CX | 3 | 95 | C5-DXCDB-40 | PCLNR-0355-12-CX | 1.5 |
| C6-PCLNR-GX12-CX | 3 | 95 | C6-DXCDB-40 | | 2.3 |
| C5-PCLNR-KXX12-CX | 3 | 135 | C5-DXCDB-80 | | 1.7 |
| C6-PCLNR-KXX12-CX | 3 | 135 | C6-DXCDB-80 | | 2.5 |










| 訂貨型號 Order Code | C | L | L型勾 Lever | 鎖緊螺絲 Lock Screw | 墊片 Shim | C型環 Cshaped washer | 扳手 Wrench |
|---|---|---|---|---|---|---|---|
| PCLNR-4540-12-DX | 45 | 40 | 174.3-841M | 174.3-821 | 171.31-850M | 174.3-861 | L3 |
| PCLNR-0355-12-CX | 3 | 55 | | | | | |

## PDJN





DN□ □1504□ □






| 訂貨型號 Order Code | C | L | 刀柄型號 Shank Model | 刀頭型號 Head Type | 重量(Kg) Weight |
|---|---|---|---|---|---|
| C5–PDJNR–FX15–DX | 45 | 85 | C5–DXCDB–40 | PDJNR–4545–15–DX | 1.4 |
| C6–PDJNR–FX15–DX | 45 | 85 | C6–DXCDB–40 | | 2.2 |
| C5–PDJNR–K15–DX | 45 | 125 | C5–DXCDB–80 | | 1.6 |
| C6–PDJNR–K15–DX | 45 | 125 | C6–DXCDB–80 | | 2.5 |
| C5–PDJNR–GX15–CX | 8 | 95 | C5–DXCDB–40 | PDJNR–0855–15–CX | 1.4 |
| C6–PDJNR–GX15–CX | 8 | 95 | C6–DXCDB–40 | | 2.2 |
| C5–PDJNR–KXX15–CX | 8 | 135 | C5–DXCDB–80 | | 1.6 |
| C6–PDJNR–KXX15–CX | 8 | 135 | C6–DXCDB–80 | | 2.5 |







| 訂貨型號 Order Code | C | L | L型勾 Lever | 鎖緊螺絲 Lock Screw | 墊片 Shim | C型環 Cshaped washer | 扳手 Wrench |
|---|---|---|---|---|---|---|---|
| PDJNR–4545–15–DX | 45 | 45 | 174.3–847 | 174.3–821 | 171.35–851 | 174.3–861 | L3 |
| PDJNR–0855–15–CX | 8 | 55 | | | | | |








## PDQN




DN□ □1504□ □







| 訂貨型號 Order Code | C | L | 刀柄型號 Shank Model | 刀頭型號 Head Type | 重量(Kg) Weight |
|---|---|---|---|---|---|
| C5–PDQNR–F15–DX | 45 | 80 | C5–DXCDB–40 | PDQNR–4540–15–DX | 1.4 |
| C6–PDQNR–F15–DX | 45 | 80 | C6–DXCDB–40 | | 2.2 |
| C5–PDQNR–JX15–DX | 45 | 120 | C5–DXCDB–80 | | 1.6 |
| C6–PDQNR–JX15–DX | 45 | 120 | C6–DXCDB–80 | | 2.5 |
| C5–PDQNR–GX15–CX | 2 | 95 | C5–DXCDB–40 | PDQNR–0255–15–CX | 1.4 |
| C6–PDQNR–GX15–CX | 2 | 95 | C6–DXCDB–40 | | 2.2 |
| C5–PDQNR–KXX15–CX | 2 | 135 | C5–DXCDB–80 | | 1.6 |
| C6–PDQNR–KXX15–CX | 2 | 135 | C6–DXCDB–80 | | 2.5 |







| 訂貨型號 Order Code | C | L | L型勾 Lever | 鎖緊螺絲 Lock Screw | 墊片 Shim | C型環 Cshaped washer | 扳手 Wrench |
|---|---|---|---|---|---|---|---|
| PDQNR–4540–15–DX | 45 | 40 | 174.3–847 | 174.3–821 | 171.35–851 | 174.3–861 | L3 |
| PDQNR–0255–15–CX | 2 | 55 | | | | | |

## ■ PDNN





DN□ □1504□ □





| 訂貨型號 Order Code | C | L | 刀柄型號 Shank Model | 刀頭型號 Head Type | 重量( Kg) Weight |
|---|---|---|---|---|---|
| C5–PDNNR–G15–DX | 30 | 90 | C5–DXCDB–40 | PDNNR–3050–15–DX | 1.5 |
| C6–PDNNR–G15–DX | 30 | 90 | C6–DXCDB–40 | | 2.3 |
| C5–PDNNR–KX15–DX | 30 | 130 | C5–DXCDB–80 | | 1.8 |
| C6–PDNNR–KX15–DX | 30 | 130 | C6–DXCDB–80 | | 2.5 |
| C5–PDNNR–H15–CX | 50 | 100 | C5–DXCDB–40 | PDNNR–5060–15–CX | 1.6 |
| C6–PDNNR–H15–CX | 50 | 100 | C6–DXCDB–40 | | 2.4 |
| C5–PDNNR–L15–CX | 50 | 140 | C5–DXCDB–80 | | 1.8 |
| C6–PDNNR–L15–CX | 50 | 140 | C6–DXCDB–80 | | 2.7 |





| 訂貨型號 Order Code | C | L | L型勾 Lever | 鎖緊螺絲 Lock Screw | 墊片 Shim | C型環 Cshaped washer | 扳手 Wrench |
|---|---|---|---|---|---|---|---|
| PDNNR–3050–15–DX | 30 | 50 | 174.3–847 | 174.3–821 | 171.35–851 | 174.3–861 | L3 |
| PDNNR–5060–15–CX | 50 | 60 | | | | | |








## ■ MTJN




TN□ □1604□ □






| 訂貨型號 Order Code | C | L | 刀柄型號 Shank Model | 刀頭型號 Head Type | 重量( Kg) Weight |
|---|---|---|---|---|---|
| C5–MTJNR–F16–DX | 45 | 85 | C5–DXCDB–40 | MTJNR–4545–16–DX | 1.5 |
| C6–MTJNR–F16–DX | 45 | 85 | C6–DXCDB–40 | | 2.3 |
| C5–MTJNR–K16–DX | 45 | 125 | C5–DXCDB–80 | | 1.7 |
| C6–MTJNR–K16–DX | 45 | 125 | C6–DXCDB–80 | | 2.5 |
| C5–MTJNR–HK16–CX | 0 | 105 | C5–DXCDB–40 | MTJNR–0065–16–CX | 1.5 |
| C6–MTJNR–HK16–CX | 0 | 105 | C6–DXCDB–40 | | 2.3 |
| C5–MTJNR–LX16–CX | 0 | 145 | C5–DXCDB–80 | | 1.7 |
| C6–MTJNR–LX16–CX | 0 | 145 | C6–DXCDB–80 | | 2.6 |








| 訂貨型號 Order Code | C | L | 墊片 Shim | 鎖緊螺絲 Lock Screw | 中心銷 Pin | 側固螺絲 Side Screw | 扳手 Wrench |
|---|---|---|---|---|---|---|---|
| MTJNR–4545–16–DX | 45 | 45 | 170.3–851 | 170.38–820–1 | 170.3–870 | 170.38–845 | L4 |
| MTJNR–0065–16–CX | 0 | 65 | | | | | |

## ■ SCLC





CC□ □1204□ □






| 訂貨型號 Order Code | C | L | 刀柄型號 Shank Model | 刀頭型號 Head Type | 重量( Kg) Weight |
|---|---|---|---|---|---|
| C5-SCLCR-F12-DX | 45 | 80 | C5-DXCDB-40 | SCLCR-4540-12-DX | 1.5 |
| C6-SCLCR-F12-DX | 45 | 80 | C6-DXCDB-40 | | 2.3 |
| C5-SCLCR-JX12-DX | 45 | 120 | C5-DXCDB-80 | | 1.7 |
| C6-SCLCR-JX12-DX | 45 | 120 | C6-DXCDB-80 | | 2.6 |
| C5-SCLCR-GX12-CX | 0 | 95 | C5-DXCDB-40 | SCLCR-0055-12-CX | 1.5 |
| C6-SCLCR-GX12-CX | 0 | 95 | C6-DXCDB-40 | | 2.3 |
| C5-SCLCR-KXX12-CX | 0 | 135 | C5-DXCDB-80 | | 1.7 |
| C6-SCLCR-KXX12-CX | 0 | 135 | C6-DXCDB-80 | | 2.5 |






| 訂貨型號 Order Code | C | L | 鎖緊螺絲 Lock Screw | 扳手 Wrench |
|---|---|---|---|---|
| SCLCR-4540-12-DX | 45 | 40 | CSTB-5 | T-20 |
| SCLCR-0055-12-CX | 0 | 55 | | |








## ■ SDJC




DC□ □11T3□ □






| 訂貨型號 Order Code | C | L | 刀柄型號 Shank Model | 刀頭型號 Head Type | 重量( Kg) Weight |
|---|---|---|---|---|---|
| C5-SDJCR-F11-DX | 45 | 80 | C5-DXCDB-40 | SDJCR-4540-11-DX | 1.4 |
| C6-SDJCR-F11-DX | 45 | 80 | C6-DXCDB-40 | | 2.2 |
| C5-SDJCR-JX11-DX | 45 | 120 | C5-DXCDB-80 | | 1.6 |
| C6-SDJCR-JX11-DX | 45 | 120 | C6-DXCDB-80 | | 2.5 |
| C5-SDJCR-GX11-CX | 3 | 95 | C5-DXCDB-40 | SDJCR-0355-11-CX | 1.4 |
| C6-SDJCR-GX11-CX | 3 | 95 | C6-DXCDB-40 | | 2.2 |
| C5-SDJCR-KXX11-CX | 3 | 135 | C5-DXCDB-80 | | 1.6 |
| C6-SDJCR-KXX11-CX | 3 | 135 | C6-DXCDB-80 | | 2.5 |







| 訂貨型號 Order Code | C | L | 鎖緊螺絲 Lock Screw | 扳手 Wrench |
|---|---|---|---|---|
| SDJCR-4540-11-DX | 45 | 40 | CSTB-4 | T-15 |
| SDJCR-0355-11-CX | 3 | 55 | | |

## ■SDNC





DC□ □11T3□ □






| 訂貨型號 Order Code | C | L | B | 刀柄型號 Shank Model | 刀頭型號 Head Type | 重量(Kg) Weight |
|---|---|---|---|---|---|---|
| C5-SDNCN-F11-DX | 35 | 80 | 10 | C5-DXCDB-40 | SDNCN-3540-11-DX | 1.4 |
| C6-SDNCN-F11-DX | 35 | 80 | | C6-DXCDB-40 | | 2.2 |
| C5-SDNCN-JX11-DX | 35 | 120 | | C5-DXCDB-80 | | 1.6 |
| C6-SDNCN-JX11-DX | 35 | 120 | | C6-DXCDB-80 | | 2.4 |
| C5-SDNCN-GX11-CX | 7 | 95 | | C5-DXCDB-40 | SDNCN-0755-11-CX | 1.5 |
| C6-SDNCN-GX11-CX | 7 | 95 | | C6-DXCDB-40 | | 2.3 |
| C5-SDNCN-KXX11-CX | 7 | 135 | | C5-DXCDB-80 | | 1.7 |
| C6-SDNCN-KXX11-CX | 7 | 135 | | C6-DXCDB-80 | | 2.5 |






| 訂貨型號 Order Code | C | L | 鎖緊螺絲 Lock Screw | 扳手 Wrench |
|---|---|---|---|---|
| SDNCN-3540-11-DX | 35 | 40 | CSTB-4 | T-15 |
| SDNCN-0755-11-CX | 7 | 55 | | |








## ■SDQC





DC□ □11T3□ □






| 訂貨型號 Order Code | C | L | 刀柄型號 Shank Model | 刀頭型號 Head Type | 重量(Kg) Weight |
|---|---|---|---|---|---|
| C5-SDQCR-F11-DX | 45 | 80 | C5-DXCDB-40 | SDQCR-4540-11-DX | 1.4 |
| C6-SDQCR-F11-DX | 45 | 80 | C6-DXCDB-40 | | 2.2 |
| C5-SDQCR-JX11-DX | 45 | 120 | C5-DXCDB-80 | | 1.6 |
| C6-SDQCR-JX11-DX | 45 | 120 | C6-DXCDB-80 | | 2.5 |
| C5-SDQCR-GX11-CX | 0 | 95 | C5-DXCDB-40 | SDQCR-0055-11-CX | 1.4 |
| C6-SDQCR-GX11-CX | 0 | 95 | C6-DXCDB-40 | | 2.2 |
| C5-SDQCR-KXX11-CX | 0 | 135 | C5-DXCDB-80 | | 1.6 |
| C6-SDQCR-KXX11-CX | 0 | 135 | C6-DXCDB-80 | | 2.5 |







| 訂貨型號 Order Code | C | L | 鎖緊螺絲 Lock Screw | 扳手 Wrench |
|---|---|---|---|---|
| SDQCR-4540-11-DX | 45 | 40 | CSTB-4 | T-15 |
| SDQCR-0055-11-CX | 0 | 55 | | |


## ■SER


ISO 16ER






| 訂貨型號 Order Code | C | L | 刀柄型號 Shank Model | 刀頭型號 Head Type | 重量(Kg) Weight |
|---|---|---|---|---|---|
| C5-SER-F16-DX | 45 | 80 | C5-DXCDB-40 | SER-4540-16-DX | 1.5 |
| C6-SER-F16-DX | 45 | 80 | C6-DXCDB-40 | | 2.3 |
| C5-SER-JX16-DX | 45 | 120 | C5-DXCDB-80 | | 1.7 |
| C6-SER-JX16-DX | 45 | 120 | C6-DXCDB-80 | | 2.3 |
| C5-SER-GX16-CX | 9 | 95 | C5-DXCDB-40 | SER-0955-16-CX | 1.5 |
| C6-SER-GX16-CX | 9 | 95 | C6-DXCDB-40 | | 2.3 |
| C5-SER-KXX16-CX | 9 | 135 | C5-DXCDB-80 | | 1.7 |
| C6-SER-KXX16-CX | 9 | 135 | C6-DXCDB-80 | | 2.5 |






| 訂貨型號 Order Code | C | L | 墊片 Shim | 鎖緊螺絲 Lock Screw | 側固螺絲 Side Screw | 扳手 Wrench |
|---|---|---|---|---|---|---|
| SER-4540-16-DX | 45 | 40 | AE16 | CSTB-3.5 | M3×0.5 | L2.5 T-15 |
| SER-0955-16-CX | 9 | 55 | | | | |









## ■SVJC


VC□ □1604□ □







| 訂貨型號 Order Code | C | L | B | 刀柄型號 Shank Model | 刀頭型號 Head Type | 重量(Kg) Weight |
|---|---|---|---|---|---|---|
| C5-SVJCR-FX16-DX | 45 | 85 | 12 | C5-DXCDB-40 | SVJCR-4545-16-DX | 1.4 |
| C6-SVJCR-FX16-DX | 45 | 85 | | C6-DXCDB-40 | | 2.2 |
| C5-SVJCR-K16-DX | 45 | 125 | | C5-DXCDB-80 | | 1.6 |
| C6-SVJCR-K16-DX | 45 | 125 | | C6-DXCDB-80 | | 2.4 |
| C5-SVJCR-GX16-CX | 8 | 95 | | C5-DXCDB-40 | SVJCR-0855-16-CX | 1.4 |
| C6-SVJCR-GX16-CX | 8 | 95 | | C6-DXCDB-40 | | 2.2 |
| C5-SVJCR-KXX16-CX | 8 | 135 | | C5-DXCDB-80 | | 1.6 |
| C6-SVJCR-KXX16-CX | 8 | 135 | | C6-DXCDB-80 | | 2.5 |








| 訂貨型號 Order Code | C | L | 墊片 Shim | 鎖緊螺絲 Lock Screw | 墊片螺絲 Shim Screw | 扳手 Wrench |
|---|---|---|---|---|---|---|
| SVJCR-4545-16-DX | 45 | 45 | SSV32 | CSTB-3.5LP | DTS5-3.5 | L3.5 T-15 |
| SVJCR-0855-16-CX | 8 | 55 | | | | |

## ■SVQC



VC□ □1604□ □








| 訂貨型號 Order Code | C | L | 刀柄型號 Shank Model | 刀頭型號 Head Type | 重量(Kg) Weight |
|---|---|---|---|---|---|
| C5–SVQCR–HX16–CX | 0 | 105 | C5–DXCDB–40 | SVQCR–0065–16S–CX | 1.5 |
| C6–SVQCR–HX16–CX | 0 | 105 | C6–DXCDB–40 | | 2.3 |
| C5–SVQCR–LX16–CX | 0 | 145 | C5–DXCDB–80 | | 1.7 |
| C6–SVQCR–LX16–CX | 0 | 145 | C6–DXCDB–80 | | 2.6 |






| 訂貨型號 Order Code | C | L | 墊片 Shim | 鎖緊螺絲 Lock Screw | 側固螺絲 Side Screw | 扳手 Wrench |
|---|---|---|---|---|---|---|
| SVQCR–0065–16S–CX | 0 | 65 | SSV32 | CSTB–3.5LP | DTS5–3.5 | L3.5 T–15 |









## ■SVVC


VC□ □1604□ □












| 訂貨型號 Order Code | C | L | B | 刀柄型號 Shank Model | 刀頭型號 Head Type | 重量(Kg) Weight |
|---|---|---|---|---|---|---|
| C5–SVVCN–G16–DX | 40 | 90 | 14 | C5–DXCDB–40 | SVVCN–4050–16–DX | 1.4 |
| C6–SVVCN–G16–DX | 40 | 90 | | C6–DXCDB–40 | | 2.2 |
| C5–SVVCN–KXX16–DX | 40 | 130 | | C5–DXCDB–80 | | 1.6 |
| C6–SVVCN–KXX16–DX | 40 | 130 | | C6–DXCDB–80 | | 2.5 |
| C5–SVVCN–GX16–CX | 9 | 95 | | C5–DXCDB–40 | SVVCN–0955–16–CX | 1.4 |
| C6–SVVCN–GX16–CX | 9 | 95 | | C6–DXCDB–40 | | 2.2 |
| C5–SVVCN–KXX16–CX | 9 | 135 | | C5–DXCDB–80 | | 1.6 |
| C6–SVVCN–KXX16–CX | 9 | 135 | | C6–DXCDB–80 | | 2.5 |









| 訂貨型號 Order Code | C | L | 墊片 Shim | 鎖緊螺絲 Lock Screw | 墊片螺絲 Shim Screw | 扳手 Wrench |
|---|---|---|---|---|---|---|
| SVVCN–4050–16–DX | 40 | 50 | SSV32 | CSTB–3.5LP | DTS5–3.5 | L3.5 T–15 |
| SVVCN–0955–16–CX | 9 | 55 | | | | |


## DMCD



A4..03..












| 訂貨型號 Order Code | C | L | 刀柄型號 Shank Model | 刀頭型號 Head Type | 重量(Kg) Weight |
|---|---|---|---|---|---|
| C5-DMCD-FX3-DX | 60 | 85 | C5-DXCDB-40 | DMCD-6045-3-DX | 1.7 |
| C6-DMCD-FX3-DX | 60 | 85 | C6-DXCDB-40 | | 2.5 |
| C5-DMCD-K3-DX | 60 | 125 | C5-DXCDB-80 | | 1.9 |
| C6-DMCD-K3-DX | 60 | 125 | C6-DXCDB-80 | | 2.7 |
| C5-DMCD-H3-CX | 19 | 100 | C5-DXCDB-40 | DMCD-1960-3-CX | 1.5 |
| C6-DMCD-H3-CX | 19 | 100 | C6-DXCDB-40 | | 2.3 |
| C5-DMCD-L3-CX | 19 | 140 | C5-DXCDB-80 | | 1.7 |
| C6-DMCD-L3-CX | 19 | 140 | C6-DXCDB-80 | | 2.6 |








| 訂貨型號 Order Code | C | L | W | d | 適用刀夾 Suitable Cutter Holder | 鎖緊螺絲 Lock Screw | 扳手 Wrench |
|---|---|---|---|---|---|---|---|
| DMCD-6045-3-DX | 60 | 45 | 3 | 17 | A4DR3 | M5-16<br>M4-12 | L3,L4 |
| DMCD-1960-3-CX | 19 | 60 | 3 | 17 | | | |









## WJCD



A3..03..











| 訂貨型號 Order Code | C | L | 刀柄型號 Shank Model | 刀頭型號 Head Type | 重量(Kg) Weight |
|---|---|---|---|---|---|
| C5-WJCD-H3-DX | 45 | 100 | C5-DXCDB-40 | WJCD-4560-3-DX | 1.6 |
| C6-WJCD-H3-DX | 45 | 100 | C6-DXCDB-40 | | 2.4 |
| C5-WJCD-L3-DX | 45 | 140 | C5-DXCDB-80 | | 1.8 |
| C6-WJCD-L3-DX | 45 | 140 | C6-DXCDB-80 | | 2.6 |
| C5-WJCD-HX3-CX | 12 | 105 | C5-DXCDB-40 | WJCD-1265-3-CX | 1.5 |
| C6-WJCD-HX3-CX | 12 | 105 | C6-DXCDB-40 | | 2.3 |
| C5-WJCD-LX3-CX | 12 | 145 | C5-DXCDB-80 | | 1.7 |
| C6-WJCD-LX3-CX | 12 | 145 | C6-DXCDB-80 | | 2.6 |









| 訂貨型號 Order Code | C | L | W | d | 適用刀夾 Suitable Cutter Holder | 鎖緊螺絲 Lock Screw | 扳手 Wrench |
|---|---|---|---|---|---|---|---|
| WJCD-4560-3-DX | 45 | 60 | 3 | 17 | A4DR3 | M5-16<br>M4-12 | L3,L4 |
| WJCD-1265-3-CX | 12 | 65 | 3 | 17 | | | |

## ESF燒結刀柄－PSC柄
## SHRINK FIT HOLDER-PSC SHANK







| 訂貨型號 Order Code | A | øD1 | øD2 | øD3 | L |
|---|---|---|---|---|---|
| C3-ESF03-80 | 80 | 3 | 10 | - | 9 |
| -ESF04-80 | 80 | 4 | 10 | - | 12 |
| -ESF05-80 | 80 | 5 | 10 | - | 15 |
| -ESF06-80 | 80 | 6 | 21 | 27 | 36 |
| -ESF08-80 | 80 | 8 | 21 | 27 | 36 |
| C4-ESF03-90 | 90 | 3 | 10 | - | 9 |
| -ESF04-90 | 90 | 4 | 10 | - | 12 |
| -ESF05-90 | 90 | 5 | 10 | - | 15 |
| -ESF06-90 | 90 | 6 | 21 | 27 | 36 |
| -ESF08-90 | 80 | 8 | 21 | 27 | 36 |
| -ESF10-90 | 90 | 10 | 24 | 32 | 42 |
| -ESF12-90 | 90 | 12 | 24 | 32 | 47 |
| -ESF14-90 | 90 | 14 | 27 | 34 | 47 |
| -ESF16-90 | 90 | 16 | 27 | 34 | 50 |
| C5-ESF03-90 | 90 | 3 | 10 | - | 9 |
| -ESF04-90 | 90 | 4 | 10 | - | 12 |
| -ESF05-90 | 90 | 5 | 10 | - | 15 |
| -ESF06-90 | 90 | 6 | 21 | 27 | 36 |
| -ESF08-90 | 80 | 8 | 21 | 27 | 36 |
| -ESF10-90 | 90 | 10 | 24 | 32 | 42 |
| -ESF12-90 | 90 | 12 | 24 | 32 | 47 |
| -ESF14-90 | 90 | 14 | 27 | 34 | 47 |
| -ESF16-90 | 90 | 16 | 27 | 34 | 50 |
| -ESF18-90 | 90 | 18 | 33 | 42 | 50 |
| -ESF20-90 | 90 | 20 | 33 | 42 | 52 |
| C6-ESF03-90 | 90 | 3 | 10 | - | 9 |
| -ESF04-90 | 90 | 4 | 10 | - | 12 |
| -ESF05-90 | 90 | 5 | 10 | - | 15 |
| -ESF06-90 | 90 | 6 | 21 | 27 | 36 |
| -ESF08-90 | 80 | 8 | 21 | 27 | 36 |
| -ESF10-90 | 90 | 10 | 24 | 32 | 42 |
| -ESF12-90 | 90 | 12 | 24 | 32 | 47 |
| -ESF14-90 | 90 | 14 | 27 | 34 | 47 |
| -ESF16-90 | 90 | 16 | 27 | 34 | 50 |
| -ESF18-90 | 90 | 18 | 33 | 42 | 50 |
| -ESF20-90 | 90 | 20 | 33 | 42 | 52 |
| -ESF25-100 | 100 | 25 | 44 | 53 | 58 |
| -ESF32-100 | 100 | 32 | 44 | 53 | 58 |



## HDC油壓刀柄－PSC柄
## HYDRAULIC HOLDER – PSC SHANK







| 訂貨型號 Order Code | d | øD | øD1 | L | L1 | 刀具調整量 Tool AdjustmentH | 最小加持長度 Shortest clampinglengthE | 重量（Kg） Weight |
|---|---|---|---|---|---|---|---|---|
| C5-HDC06-75 | 6 | 26 | 45 | 85 | 40 | 28-50 | 28 | 0.7 |
| -HDC08-75 | 8 | 28 | | | 41 | | | 0.7 |
| -HDC10-75 | 10 | 30 | | | 43 | 35-55 | 33 | 0.7 |
| -HDC12-75 | 12 | 32 | 48 | | | 38-60 | 38 | 0.9 |
| -HDC16-85 | 16 | 38 | 50 | 85 | 47 | 43-70 | 43 | 0.9 |
| -HDC20-85 | 20 | 42 | 55 | | 48 | 46-70 | | 0.9 |
| -HDC25-105 | 25 | - | 63 | 105 | - | 52-80 | 52 | 1.2 |
| -HDC32-105 | 32 | - | 75 | | | 56-80 | 56 | 1.2 |
| C6-HDC06-90 | 6 | 26 | 45 | 90 | 43 | 28-50 | 28 | 1.3 |
| -HDC08-90 | 8 | 28 | | | | | | 1.3 |
| -HDC10-90 | 10 | 30 | | | | 33-55 | 33 | 1.3 |
| -HDC12-90 | 12 | 32 | 48 | | | 38-60 | 38 | 1.4 |
| -HDC16-90 | 16 | 38 | 50 | | 47 | 43-70 | 43 | 1.4 |
| -HDC20-90 | 20 | 42 | 55 | | | | | 1.5 |
| -HDC25-90 | 25 | - | 63 | | - | 52-80 | 52 | 1.5 |
| -HDC32-90 | 32 | - | 75 | | - | 56-80.5 | 56 | 1.6 |

## SD精密彈性筒夾刀柄-PSC柄
## SD COLLET HOLDER-PSC SHANK







| 訂貨型號 Order Code | L | ØD | 夾持範圍Ød Clamping range | 重量(Kg) Weight |
|---|---|---|---|---|
| C4-SD06-40 | 40 | 20 | 1.75-6 | 0.4 |
| -SD10-50 | 50 | 29 | 1.75-10 | 0.5 |
| -100 | 100 | 29 | 1.75-10 | 0.6 |
| -SD16-60 | 60 | 41 | 2.75-16 | 0.5 |
| -SD20-100 | 100 | 50 | 4-20 | 1 |
| -SD25-100 | 100 | 55 | 6-25 | 1.2 |
| C5-SD06-45 | 45 | 20 | 1.75-6 | 0.5 |
| C5-SD06-100 | 100 | 20 | 1.75-6 | 0.6 |
| C5-SD10-50 | 50 | 29 | 1.75-10 | 0.7 |
| -SD10-100 | 100 | 29 | 1.75-10 | 0.9 |
| C5-SD16-65 | 65 | 41 | 2.75-16 | 1 |
| -SD16-80 | 80 | 41 | 2.75-16 | 1.1 |
| -100 | 100 | 41 | 2.75-16 | 1.2 |
| C5-SD20-70 | 70 | 50 | 4-20 | 1.2 |
| -SD20-100 | 100 | 50 | 4-20 | 1.3 |
| -150 | 150 | 50 | 4-20 | 2.0 |
| -SD25-100 | 100 | 55 | 6-25 | 1.6 |
| -150 | 150 | 55 | 6-25 | 2.2 |
| C6-SD06-100 | 100 | 20 | 1.75-6 | 1.0 |
| -SD10-100 | 100 | 29 | 1.75-10 | 1.1 |
| -SD16-80 | 80 | 41 | 2.75-16 | 1.3 |
| -100 | 100 | 41 | 2.75-16 | 1.4 |
| -SD20-100 | 100 | 50 | 4-20 | 1.5 |
| -150 | 150 | 50 | 4-20 | 2.2 |
| -SD25-100 | 100 | 55 | 6-25 | 1.8 |
| -150 | 150 | 55 | 6-25 | 2.4 |

★ 標配含扳手。
★ 以上規格均不含筒夾，需另外訂購。
★ Standard contains spanner
★ The above model do not include collet ,please order them separately if necessary.



## ER彈性筒夾刀柄- PSC柄
## ER COLLET HOLDER-PSC SHANK







| 訂貨型號 Order Code | L | ØD | 夾持範圍Ød Clamping range | 重量(Kg) Weight |
|---|---|---|---|---|
| C3-ER11-33 | 33 | 19 | 2.5-7 | 0.3 |
| ER16-43 | 43 | 30 | 2.0-10 | 0.5 |
| -50 | 50 | 30 | 2.0-10 | 0.6 |
| C4-ER16-47 | 47 | 30 | 2.0-10 | 0.8 |
| -70 | 70 | 30 | 2.0-10 | 0.9 |
| -100 | 100 | 30 | 2.0-10 | 1.0 |
| ER20-52 | 52 | 34 | 2.0-13 | 1.0 |
| -100 | 100 | 34 | 2.0-13 | 1.2 |
| ER25-52 | 52 | 42 | 2.0-13 | 1.1 |
| -100 | 100 | 42 | 2.0-13 | 1.3 |
| ER32-54 | 54 | 50 | 2.0-20 | 1.2 |
| C5-ER16-100 | 100 | 30 | 0.5-10 | 1.0 |
| -ER20-100 | 100 | 35 | 1.0-13 | 1.1 |
| -ER25-60 | 60 | 42 | 1.0-16 | 1.2 |
| -ER25-100 | 100 | 42 | 1.0-16 | 1.4 |
| -ER32-60 | 60 | 50 | 2.0-20 | 1.4 |
| -ER32-100 | 100 | 50 | 2.0-20 | 1.7 |
| C6-ER16-100 | 100 | 30 | 0.5-10 | 1.3 |
| -ER20-100 | 100 | 35 | 1.0-13 | 1.4 |
| -ER25-100 | 100 | 42 | 1.0-16 | 1.5 |
| -ER32-70 | 70 | 50 | 2.0-20 | 1.5 |
| -ER32-100 | 100 | 50 | 2.0-20 | 1.7 |
| -150 | 150 | 50 | 2.0-20 | 2.4 |
| -ER40-100 | 100 | 63 | 3.0-26 | 1.8 |
| -150 | 150 | 63 | 3.0-26 | 2.8 |

★ 以上規格均不含扳手及筒夾，如有需要請另外訂購。
The above model do not include spanner and collet,please order them separately if necessary.

## FMA面銑刀柄 – PSC柄
FMA FACE MILL CUTTER HOLDER–PSC SHANK







| 訂貨型號 Order Code | L | ⌀d(h6) | ⌀D | H | K | W | 重量(Kg) Weight |
|---|---|---|---|---|---|---|---|
| C3–FMA19.05–30 | 30 | 19.05 | 44.5 | 17 | 4.5 | 7.8 | 0.4 |
| C4–FMA19.05–25 | 25 | 19.05 | 44.5 | 17 | 4.5 | 7.8 | 0.5 |
| FMA25.4–35 | 35 | 25.4 | 50 | 20 | 5 | 9.5 | 0.6 |
| C5–FMA25.4–50 | 50 | 25.4 | 50 | 20 | 5 | 9.5 | 0.9 |
| –100 | 100 | | | | | | 1.7 |
| –FMA31.75–50 | 50 | 31.75 | 60 | 22 | 7 | 12.7 | 1.1 |
| –100 | 100 | | | | | | 2.2 |
| –FMA38.1–50 | 50 | 38.1 | 80 | 25 | 9 | 15.9 | 1.7 |
| –100 | 100 | | | | | | 3.0 |
| C6–FMA25.4–50 | 50 | 25.4 | 50 | 20 | 5 | 9.5 | 1.3 |
| –100 | 100 | | | | | | 2.1 |
| –FMA31.75–50 | 50 | 31.75 | 60 | 22 | 7 | 12.7 | 1.5 |
| –100 | 100 | | | | | | 2.6 |
| –FMA38.1–60 | 60 | 38.1 | 80 | 25 | 9 | 15.9 | 2.1 |
| –120 | 120 | | | | | | 3.4 |





## FMB(C)面銑刀柄 – PSC柄
FMB(C) FACE MILL CUTTER HOLDER–PSC SHANK







注：B型使用大頭鎖緊螺絲,C型使用小頭鎖緊螺絲。
B model use big clamping screw,C model use small clamping screw.

| 訂貨型號 Order Code | L | ⌀d | ⌀D | H | K | W | 重量(Kg) Weight |
|---|---|---|---|---|---|---|---|
| C3–FMB(C)16–30 | 30 | 16 | 35 | 17 | 5 | 8 | 0.4 |
| C4–FMB(C)16–32 | 32 | 16 | 35 | 17 | 5 | 8 | 0.5 |
| –55 | 55 | 16 | 35 | 17 | 5 | 8 | 0.6 |
| FMB(C)22–55 | 55 | 22 | 48 | 18 | 5 | 10 | 0.7 |
| C5–FMB(C)22–50 | 50 | 22 | 48 | 18 | 5 | 10 | 0.9 |
| –70 | 70 | | | | | | 1.2 |
| –120 | 120 | | | | | | 1.4 |
| –FMB(C)27–60 | 60 | 27 | 60 | 20 | 6 | 12 | 1.1 |
| –120 | 120 | | | | | | 2.2 |
| –FMB(C)32–60 | 60 | 32 | 72 | 22 | 7 | 14 | 1.5 |
| –120 | 120 | | | | | | 2.9 |
| –FMB(C)40–60 | 60 | 40 | 80 | 25 | 8 | 16 | 2.4 |
| –120 | 120 | | | | | | 3.7 |
| C6–FMB(C)22–50 | 50 | 22 | 48 | 18 | 5 | 10 | 1.3 |
| –100 | 100 | | | | | | 1.8 |
| –FMB(C)27–50 | 50 | 27 | 60 | 20 | 6 | 12 | 1.5 |
| –100 | 100 | | | | | | 2.6 |
| –FMB(C)32–60 | 60 | 32 | 72 | 22 | 7 | 14 | 1.9 |
| –120 | 120 | | | | | | 3.3 |
| –FMB(C)40–60 | 60 | 40 | 80 | 25 | 8 | 16 | 2.8 |
| –120 | 120 | | | | | | 4.1 |

## SL側固式端銑刀柄–PSC柄
## SL SIDE LOCK HOLDER–PSC SHANK







| 訂貨型號 Order Code | 圖號 FIG | L | ød | øD | H1 | H2 | G | 重量(Kg) Weight |
|---|---|---|---|---|---|---|---|---|
| C4–SL10–60 | 1 | 60 | 10 | 35 | 20 | — | M10X1.0 | 0.6 |
| C4–SL16–56 | | 56 | 16 | 48 | 23 | | M14X1.5 | 0.8 |
| C4–SL20–60 | | 60 | 20 | 52 | 25 | | M16X1.5 | 1.0 |
| C4–SL20–70 | | 70 | 20 | 52 | 25 | | M16X1.5 | 1.1 |
| C4–SL25–77 | 2 | 77 | 25 | 62 | 24 | 25 | M18X2.0 | 1.5 |
| C4–SL25–90 | | 90 | 25 | 62 | 24 | | M18X2.0 | 1.6 |
| C5–SL06–80 | 1 | 80 | 6 | 25 | 18 | — | M6×0.75 | 0.6 |
| –SL08–80 | | 80 | 8 | 28 | 18 | | M8×1.0 | 0.7 |
| –SL10–80 | | 80 | 10 | 35 | 20 | | M10×1.0 | 0.8 |
| –SL12–90 | | 90 | 12 | 42 | 22.5 | | M12×1.5 | 1.0 |
| SL14–90 | | 90 | 14 | 45 | 23 | | | 1.1 |
| –SL16–100 | | 100 | 16 | 48 | 24 | | M14×1.5 | 1.3 |
| –SL18–100 | | 100 | 18 | 50 | | | | 1.4 |
| –SL20–100 | | 100 | 20 | 52 | 25 | | M16×1.5 | 1.5 |
| –SL25–110 | 2 | 110 | 25 | 62 | 24 | 25 | M18×2.0 | 2.0 |
| –SL32–110 | | 110 | 32 | 63 | | 28 | M20×2.0 | 1.9 |
| C6–SL06–80 | 1 | 80 | 6 | 25 | 18 | — | M6×0.75 | 1.0 |
| –SL08–80 | | 80 | 8 | 28 | 18 | | M8×1.0 | 1.1 |
| –SL10–80 | | 80 | 10 | 35 | 20 | | M10×1.0 | 1.2 |
| –SL12–90 | | 90 | 12 | 42 | 22.5 | | M12×1.5 | 1.4 |
| SL14–90 | | 90 | 14 | 45 | 23 | | | 1.5 |
| –SL16–100 | | 100 | 16 | 48 | 24 | | M14×1.5 | 1.7 |
| –SL18–100 | | 100 | 18 | 50 | | | | 1.8 |
| –SL20–100 | | 100 | 20 | 52 | 25 | | M16×1.5 | 1.9 |
| –SL25–110 | 2 | 110 | 25 | 62 | 24 | 25 | M18×2.0 | 2.4 |
| –SL32–110 | | 110 | 32 | 63 | | 28 | M20×2.0 | 2.3 |



## EMC強力銑刀刀柄–PSC柄
## EMC POWERFUL MILL HOLDERS – PSC SHANK







| 訂貨型號 Order Code | L | øD | 加持範圍ød Clamping range | 重量 (Kg) Weight |
|---|---|---|---|---|
| C5-EMC20-80 | 80 | 53.5 | 6-20 | 0.9 |
| -EMC20-135 | 135 | 53.5 | 6-20 | 1.2 |
| C6-EMC20-80 | 80 | 53.5 | 6-20 | 1.7 |
| -EMC20-135 | 135 | 53.5 | 6-20 | 2 |
| -EMC32-90 | 90 | 73.5 | 6-32 | 2.2 |
| -EMC32-120 | 120 | 73.5 | 6-32 | 2.9 |

## EM小銑頭刀柄－PSC柄
## EM SMALL MILLING HEAD HOLDER-PSC SHANK






| 訂貨型號 Order Code | L | L1 | ØD | G | 重量(Kg) Weight |
|---|---|---|---|---|---|
| C5-EM08-100 | 100 | 74 | 13.8 | M8 | 0.5 |
| -150 | 150 | 124 | | | 0.6 |
| -EM10-100 | 100 | 74 | 18.5 | M10 | 0.6 |
| -150 | 150 | 124 | | | 0.7 |
| -EM12-100 | 100 | 74 | 23 | M12 | 0.7 |
| -150 | 150 | 124 | | | 0.9 |
| -EM16-100 | 100 | 74 | 30 | M16 | 0.8 |
| -150 | 150 | 124 | | | 1.1 |
| C6-EM08-100 | 100 | 74 | 13.8 | M8 | 0.9 |
| -150 | 150 | 124 | | | 1.0 |
| -EM10-100 | 100 | 74 | 18.5 | M10 | 1.0 |
| -150 | 150 | 124 | | | 1.1 |
| -EM12-100 | 100 | 74 | 23 | M12 | 1.1 |
| 150 | 150 | 124 | | | 1.3 |
| -EM16-100 | 100 | 74 | 30 | M16 | 1.2 |
| -150 | 150 | 124 | | | 1.5 |


★ 以上規格均不含小銑頭, 如有需要請另外訂購。
The above model do not include small milling head ,please order them separately if necessary..



## 阻尼減震鏜刀-PSC柄
## DAMPING BORING HEAD-PSC SHANK

**PSC**







| 型號 | L | L1 | ØD | D1 | A |
|---|---|---|---|---|---|
| C6-FBN34-44-L240-JZ | 278 | 240 | 34-44 | 30 | TP□□0802 |
| C6-FBN43-55-L320-JZ | 358 | 320 | 43-55 | 40 | TP□□0902 |
| C6-FBN43-55-L400-JZ | 438 | 400 | 43-55 | 40 | TP□□0902 |
| C6-FBN54-76-L400-JZ | 438 | 400 | 54-76 | 50 | TP□□0902 |
| C6-FBN54-76-L500-JZ | 538 | 500 | 54-76 | 50 | TP□□0902 |
| C6-FBN75-105-L480-JZ | 518 | 480 | 75-105 | 63 | TP□□0902 |
| C6-FBN75-105-L600-JZ | 638 | 600 | 75-105 | 63 | TP□□0902 |

## ECK鏜刀刀柄 - PSC柄
## ECK BORING HOLDER-PSC SHANK






| 訂貨型號 Order Code | ØD1 | ØD2 | M | L | L1 | L2 | L3 | 重量(Kg) Weight |
|---|---|---|---|---|---|---|---|---|
| C5-ECK0-100 | 21 | 25 | 85 | 100 | 140 | 109 | 45 | 0.6 |
| C5-ECK1-100 | 23 | 36 | 100 | 100 | 140 | 109 | 60 | 0.6 |
| -ECK2-100 | 29 | —— | 114 | 100 | 145 | 114 | —— | 0.8 |
| -125 | | 40 | 121 | 125 | 170 | 139 | 76 | 1.0 |
| -ECK3-100 | 37 | —— | 128 | 100 | 155 | 128 | —— | 1.0 |
| -125 | | | 149 | 125 | 180 | 149 | | 1.2 |
| -ECK4-100 | 48 | | 129 | 100 | 160 | 129 | | 1.3 |
| -125 | | | 153 | 125 | 185 | 153 | | 1.6 |
| -ECK5-100 | 60 | | 144 | 100 | 175 | 144 | | 1.5 |
| -125 | | | 169 | 125 | 200 | 169 | | 2.0 |
| C6-ECK0-100 | 21 | 25 | 85 | 100 | 140 | 109 | 45 | 1.0 |
| C6-ECK1-100 | 23 | 36 | 100 | 100 | 140 | 109 | 60 | 1.0 |
| -ECK2-100 | 29 | —— | 114 | 100 | 145 | 114 | —— | 1.2 |
| -125 | | 40 | 121 | 125 | 170 | 139 | 76 | 1.4 |
| -ECK3-100 | 37 | —— | 128 | 100 | 155 | 128 | —— | 1.4 |
| -125 | | | 149 | 125 | 180 | 149 | | 1.6 |
| -ECK4-100 | 48 | | 129 | 100 | 160 | 129 | | 1.7 |
| -125 | | | 153 | 125 | 185 | 153 | | 2.0 |
| -ECK5-100 | 60 | | 144 | 100 | 175 | 144 | | 1.9 |
| -125 | | | 169 | 125 | 200 | 169 | | 2.4 |


★ 以上所有規格鏜刀刀柄均不含鏜刀頭，如有需要請另外訂購。
The above model boring holders do not include boring head ,please order them separately if necessary.




## BMT刀塔-PSC模組化固定刀座
## BMT - PSC Static Tool Holder

### TR/LE-BMT








| 訂貨型號 Order Code | D | E | F | A | B | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|
| C4-TR/LE-BMT55-70 | 40 | 70 | 38 | 106 | 85 | 80 | 50 | 2.2 |
| C4-TR/LE-BMT65-60 | 40 | 60 | 71 | 142 | 96 | 80 | 50 | 3.7 |
| C5-TR/LE-BMT65-50 | 50 | 50 | 88 | 175 | 96 | 80 | 70 | 5.7 |











| 訂貨型號 Order Code | D | E | F | A | B | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|
| C5-TR/LE-BMT75-40 | 50 | 40 | 35 | 182 | 112 | 80 | 70 | 7 |
| C6-TR/LE-BMT85-35 | 63 | 35 | 43 | 225 | 124 | 80 | 90 | 11.7 |

● R:右手型 Right-hand type ● L:左手型 Left-hand type

## TR/LI-BMT






| 訂貨型號 Order Code | D | C | E | F | A | B | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|---|
| C4-TR/LI-BMT55-70 | 40 | 94 | 70 | 76 | 120 | 85 | 80 | 50 | 4.6 |
| C4-TR/LI-BMT65-100 | 40 | 124 | 100 | 70 | 117 | 92 | 80 | 50 | 6.5 |
| C5-TR/LI-BMT65-100 | 50 | 132 | 100 | 70 | 117 | 92 | 80 | 70 | 6.5 |


● R:右手型 Right-hand type ● L:左手型 Left-hand type






## TR/LI-BMT-S










| 訂貨型號 Order Code | D | C | E | F | A | B | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|---|
| C4-TR/LI-BMT65-100-S | 40 | 124 | 100 | 20 | 98 | 92 | 80 | 50 | 6.1 |

● R:右手型 Right-hand type ● L:左手型 Left-hand type

## TR/LE-BMT-DT






| 訂貨型號 Order Code | D | E | F | G | A | B | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|---|
| C4-TR/LE-BMT65-50-50-DT | 40 | 80 | 50 | 50 | 148 | 96 | 80 | 50 | 7.6 |


● R:右手型 Right-hand type ● L:左手型 Left-hand type






## TR/LE-BMT-TT







| 訂貨型號 Order Code | D | E | F | A | B | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|
| C4-TR/LE-BMT65-81-TT | 40 | 70 | 81 | 152 | 137 | 80 | 50 | 4.7 |

● R:右手型 Right-hand type ● L:左手型 Left-hand type

## BMT刀塔-PSC模組化固定刀座
## BMT - PSC Static Tool Holder

**TR/LE-BMT-YT**






| 訂貨型號 Order Code | D | E | F | G | H | A | B | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|---|---|
| C4-TR/LE-BMT65-73-30-YT | 40 | 70 | 73 | 30 | 30 | 144 | 116 | 80 | 50 | 5.2 |

● R:右手型 Right-hand type ● L:左手型 Left-hand type







## BMT刀塔-PSC模組化動力刀座
## BMT - PSC Driven Tool Holder

**DA-BMT**







| 訂貨型號 Order Code | D | D1 | E | F | A | B | Max R.P.M | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|---|---|
| C3-DA-BMT55-55-E | 55 | 32 | 55 | 0 | 85 | 85 | 6000 | 80 | 25 | 3.2 |
| C3-DA-BMT55-55-I | 55 | 32 | 55 | 0 | 85 | 85 | 6000 | 80 | 25 | 3.2 |
| C4-DA-BMT65-54-E | 65 | 40 | 54 | 0 | 96 | 96 | 6000 | 80 | 40 | 4.2 |
| C4-DA-BMT65-54-I | 65 | 40 | 54 | 0 | 96 | 96 | 6000 | 80 | 40 | 4.3 |
| C5-DA-BMT75-68-E | 75 | 50 | 68 | 0 | 112 | 112 | 4000 | 80 | 60 | 6.8 |
| C5-DA-BMT75-68-I | 75 | 50 | 68 | 0 | 112 | 112 | 4000 | 80 | 60 | 7.2 |
| C6-DA-BMT85-85-E | 85 | 63 | 85 | 0 | 125 | 125 | 3000 | 80 | 75 | 11.3 |
| C6-DA-BMT85-85-I | 85 | 63 | 85 | 0 | 125 | 125 | 3000 | 80 | 75 | 11.6 |

● E:外冷 External coolant ● I:内冷 Internal coolant

## BMT刀塔-PSC模組化動力刀座
## BMT - PSC Driven Tool Holder

### DF-BMT






| 訂貨型號 Order Code | D | D1 | C | E | F | A | B | Max R.P.M | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|---|---|---|
| C3-DF-BMT55-70-E | 55 | 32 | 104 | 70 | 67 | 121 | 85 | 6000 | 80 | 25 | 7 |
| C3-DF-BMT55-70-I | 55 | 32 | 104 | 70 | 67 | 126 | 85 | 6000 | 80 | 25 | 7.1 |
| C4-DF-BMT65-100-E | 65 | 40 | 140 | 100 | 68 | 130 | 96 | 6000 | 80 | 40 | 10 |
| C4-DF-BMT65-100-I | 65 | 40 | 140 | 100 | 68 | 134 | 96 | 6000 | 80 | 40 | 10.2 |
| C5-DF-BMT75-60-E | 75 | 50 | 106 | 60 | 83 | 150 | 112 | 4000 | 80 | 60 | 12.9 |
| C5-DF-BMT75-60-I | 75 | 50 | 106 | 60 | 83 | 156 | 112 | 4000 | 80 | 60 | 13.5 |
| C6-DF-BMT85-85-E | 85 | 63 | 141 | 85 | 104 | 184 | 125 | 3000 | 80 | 75 | 22.4 |
| C6-DF-BMT85-85-I | 85 | 63 | 141 | 85 | 104 | 190 | 125 | 3000 | 80 | 75 | 23 |


● E:外冷 External coolant ● I:内冷 Internal coolant



## MAZAK機床-PSC模組化固定刀座
## MAZAK-PSC Static Tool Holder

### TR/LE-MZ







| 訂貨型號 Order Code | D | D1 | E | F | A | B | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|---|
| C4-TR/LE-MZ40V-100 | 40 | 40 | 100 | 58 | 164 | 84 | 80 | 50 | 6.2 |
| C4-TR/LE-MZ40X-100 | 40 | 40 | 100 | 63 | 132 | 84 | 80 | 50 | 5.3 |
| C6-TR/LE-MZ50V-105 | 50 | 63 | 105 | 42 | 169 | 106 | 80 | 90 | 10.2 |

● R:右手型 Right-hand type ● L:左手型 Left-hand type

## TR/LI-MZ






| 訂貨型號 Order Code | D | D1 | C | E | F | A | B | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|---|---|
| C4-TR/LI-MZ40V-140 | 40 | 40 | 164 | 140 | 76 | 158 | 84 | 80 | 50 | 10.1 |
| C4-TR/LI-MZ40X-150 | 40 | 40 | 174 | 150 | 10 | 142 | 84 | 80 | 50 | 9.5 |
| C6-TR/LI-MZ50V-170 | 50 | 63 | 212 | 170 | 70 | 155 | 106 | 80 | 90 | 17.9 |

● R:右手型 Right-hand type ● L:左手型 Left-hand type






MAZAK機床-PSC模組化固定刀座
MAZAK-PSC Static Tool Holder

## TR/LE-MZ-DT






| 訂貨型號 Order Code | D | E | F | G | A | B | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|---|
| C5-TR/LE-MZ68A-50-60-DT | 40 | 90 | 50 | 60 | 174 | 84 | 80 | 70 | 10 |


● R:右手型 Right-hand type ● L:左手型 Left-hand type


PSC刀座 PSC Tool Holders

## MAZAK機床-PSC模組化固定刀座
## MAZAK-PSC Static Tool Holder

### TR/LI-MZ-DT






| 訂貨型號 Order Code | D | D1 | C | E | F | G | A | B | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|---|---|---|
| C5-TR/LI-MZ68A-15-133-DT | 68 | 50 | 172 | 140 | 15 | 133 | 193 | 84 | 80 | 70 | 9.8 |

● R:右手型 Right-hand type ● L:左手型 Left-hand type







## MAZAK機床-PSC模組化動力刀座
## MAZAK-PSC Driven Tool Holder

### DA-MZ







| 訂貨型號 Order Code | D | D1 | E | F | A | B | Max R.P.M | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|---|---|
| C4-DA-MZ40V-83-E | 40 | 40 | 83 | 0 | 86 | 80 | 6000 | 80 | 40 | 3.8 |
| C4-DA-MZ40V-83-I | 40 | 40 | 83 | 0 | 86 | 80 | 6000 | 80 | 40 | 3.8 |
| C4-DA-MZ40X-83-E | 40 | 40 | 83 | 0 | 80 | 80 | 6000 | 80 | 40 | 3.7 |
| C4-DA-MZ40X-83-I | 40 | 40 | 83 | 0 | 80 | 80 | 6000 | 80 | 40 | 3.7 |


● E:外冷 External coolant ● I:内冷 Internal coolant

## MAZAK機床-PSC模組化動力刀座
MAZAK-PSC Driven Tool Holder

### DF-MZ






| 訂貨型號 Order Code | D | D1 | C | E | F | A | B | Max R.P.M | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|---|---|---|
| C4-DF-MZ40V-130-E | 40 | 40 | 169 | 130 | 62 | 142 | 88 | 6000 | 80 | 40 | 9.9 |
| C4-DF-MZ40V-130-I | 40 | 40 | 169 | 130 | 62 | 142 | 88 | 6000 | 80 | 40 | 10.1 |
| C5-DF-MZ50V-160-E | 50 | 50 | 209 | 160 | 86 | 165 | 104 | 4000 | 80 | 60 | 16.5 |
| C5-DF-MZ50V-160-I | 50 | 50 | 209 | 160 | 86 | 170 | 104 | 4000 | 80 | 60 | 17.1 |

● E:外冷 External coolant ● I:内冷 Internal coolant







## Mori seiki機床-PSC模組化固定刀座
Mori Seiki - PSC Static Tool Holder

### TR/LE-MS











| 訂貨型號 Order Code | D | D1 | E | F | A | B | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|---|
| C4-TR/LE-MS40A-75 | 40 | 40 | 75 | 43 | 117 | 77 | 80 | 50 | 3 |
| C4-TR/LE-MS60A-80 | 60 | 40 | 80 | 41 | 130 | 108 | 80 | 50 | 6.2 |
| C5-TR/LE-MS60A-95 | 60 | 50 | 95 | 33 | 130 | 108 | 80 | 70 | 6.6 |

● R:右手型 Right-hand type ● L:左手型 Left-hand type

## TR/LI-MS






| 訂貨型號 Order Code | D | D1 | C | E | F | A | B | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|---|---|
| C4-TR/LI-MS40A-100 | 40 | 40 | 124 | 100 | 32 | 100 | 77 | 80 | 50 | 5.8 |
| C4-TR/LI-MS60A-90 | 60 | 40 | 114 | 90 | 65 | 130 | 108 | 80 | 50 | 7.8 |
| C5-TR/LI-MS60A-90 | 60 | 50 | 122 | 90 | 65 | 130 | 108 | 80 | 70 | 8.8 |
| C6-TR/LI-MS60A-110 | 60 | 63 | 152 | 110 | 37 | 130 | 130 | 80 | 90 | 12.3 |

● R:右手型 Right-hand type ● L:左手型 Left-hand type







Mori seiki機床-PSC模組化固定刀座
Mori Seiki - PSC Static Tool Holder

## TR/LE-MS-DT






| 訂貨型號 Order Code | D | D1 | E | F | G | A | B | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|---|---|
| C4-TR/LE-MS40A-43-43-DT | 40 | 40 | 75 | 43 | 43 | 134 | 77 | 80 | 50 | 4.3 |
| C4-TR/LE-MS60A-45-70-DT | 60 | 40 | 80 | 45 | 70 | 134 | 108 | 80 | 50 | 7.7 |
| C4-TR/LE-MS60A-37-62-DT | 60 | 50 | 95 | 37 | 62 | 163 | 108 | 80 | 70 | 8.5 |


● R:右手型 Right-hand type ● L:左手型 Left-hand type

PSC刀座 PSC Tool Holders

## Mori seiki機床-PSC模組化固定刀座
## Mori Seiki - PSC Static Tool Holder

**TR/LE-MS-YT**






| 訂貨型號 Order Code | D | D1 | E | F | G | H | A | B | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|---|---|---|
| C4-TR/LE-MS40A-70-25-YT | 40 | 40 | 72 | 70 | 25 | 25 | 144 | 101 | 80 | 50 | 4.8 |
| C4-TR/LE-MS60A-82-29-YT | 60 | 40 | 80 | 82 | 29 | 29 | 171 | 108 | 80 | 50 | 7.4 |

● R:右手型 Right-hand type ● L:左手型 Left-hand type






## Mori seiki機床-PSC模組化動力刀座
## Mori Seiki - PSC Driven Tool Holder

**DA-MS**







| 訂貨型號 Order Code | D | D1 | E | F | A | B | Max R.P.M | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|---|---|
| C3-DA-MS40A-64-I | 40 | 32 | 64 | 0 | 96 | 80 | 6000 | 80 | 25 | 3.5 |
| C4-DA-MS40A-58-E | 40 | 40 | 58 | 0 | 96 | 86 | 6000 | 80 | 40 | 3 |
| C4-DA-MS60A-65-E | 60 | 40 | 65 | 0 | 130 | 108 | 6000 | 80 | 40 | 6.5 |
| C4-DA-MS60A-92-I | 60 | 40 | 92 | 0 | 130 | 108 | 6000 | 80 | 40 | 9.2 |
| C5-DA-MS60A-69-E | 60 | 50 | 69 | 0 | 130 | 108 | 6000 | 80 | 60 | 6.5 |

● E:外冷 External coolant ● I:内冷 Internal coolant

## Mori seiki機床-PSC模組化動力刀座
## Mori Seiki - PSC Driven Tool Holder

### DF-MS






| 訂貨型號 Order Code | D | D1 | C | E | F | A | B | Max R.P.M | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|---|---|---|
| C4-DF-MS40A-85-E | 40 | 40 | 125 | 85 | 65 | 130 | 80 | 6000 | 80 | 40 | 6.5 |
| C4-DF-MS40A-85-I | 40 | 40 | 125 | 85 | 65 | 134 | 80 | 6000 | 80 | 40 | 6.7 |
| C4-DF-MS60A-90-E | 60 | 40 | 136 | 90 | 60 | 130 | 108 | 6000 | 80 | 40 | 13 |
| C4-DF-MS60A-90-I | 60 | 40 | 136 | 90 | 60 | 133 | 108 | 6000 | 80 | 40 | 12 |
| C5-DF-MS60A-90-E | 60 | 50 | 136 | 90 | 60 | 130 | 108 | 6000 | 80 | 60 | 12 |
| C5-DF-MS60A-90-I | 60 | 50 | 136 | 90 | 60 | 133 | 108 | 6000 | 80 | 60 | 12 |

● E:外冷 External coolant ● I:内冷 Internal coolant






## Nakamura Tome機床-PSC模組化固定刀座
## Nakamura Tome - PSC Static Tool Holder

### TR/LI-NA







| 訂貨型號 Order Code | D | C | E | F | A | B | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|---|
| C4-TR/LI-55NA-75 | 40 | 99 | 75 | 25 | 96 | 84 | 80 | 50 | 4.5 |
| C4-TR/LI-65NA-90 | 40 | 114 | 90 | 10 | 98 | 94 | 80 | 50 | 6 |

● R:右手型 Right-hand type ● L:左手型 Left-hand type

## TR/LI-NA-S






| 訂貨型號 Order Code | D | C | E | F | A | B | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|---|
| C4-TR/LI-65NA-90-S | 40 | 114 | 90 | 45 | 116 | 94 | 80 | 50 | 3.9 |


● R:右手型 Right-hand type ● L:左手型 Left-hand type





## TR/LE-NA-DT






| 訂貨型號 Order Code | D | E | F | G | A | B | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|---|
| C4-TR/LE-55NA-25-105-DT | 40 | 50 | 25 | 105 | 178 | 84 | 80 | 50 | 5.2 |
| C4-TR/LE-65NA-25-125-DT | 40 | 50 | 25 | 125 | 198 | 96 | 80 | 50 | 7.7 |


● R:右手型 Right-hand type ● L:左手型 Left-hand type





PSC刀座 PSC Tool Holders

## DA-NA






| 訂貨型號 Order Code | D | D1 | E | F | A | B | Max R.P.M | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|---|---|
| C3-DA-55NA-55-E | 55 | 32 | 55 | 0 | 79 | 84 | 6000 | 80 | 25 | 3 |
| C3-DA-55NA-55-I | 55 | 32 | 55 | 0 | 79 | 84 | 6000 | 80 | 25 | 3.2 |
| C4-DA-65NA-53-E | 65 | 40 | 53 | 0 | 100 | 96 | 6000 | 80 | 40 | 4.6 |
| C4-DA-65NA-53-I | 65 | 40 | 53 | 0 | 100 | 96 | 6000 | 80 | 40 | 4.7 |

● E:外冷 External coolant ● I:內冷 Internal coolant







Nakamura Tome機床-PSC模組化動力刀座
Nakamura Tome - PSC Driven Tool Holder

## DF-NA







| 訂貨型號 Order Code | D | D1 | C | E | F | A | B | Max R.P.M | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|---|---|---|
| C3-DF-55NA-65-E | 55 | 32 | 100 | 65 | 50 | 99 | 84 | 6000 | 80 | 25 | 4.6 |
| C3-DF-55NA-65-I | 55 | 32 | 100 | 65 | 50 | 104 | 84 | 6000 | 80 | 25 | 4.8 |
| C4-DF-65NA-65-E | 65 | 40 | 105 | 65 | 68 | 130 | 96 | 6000 | 80 | 40 | 7.3 |
| C4-DF-65NA-65-I | 65 | 40 | 105 | 65 | 68 | 134 | 96 | 6000 | 80 | 40 | 7.5 |

● E:外冷 External coolant ● I:內冷 Internal coolant

PSC刀座 PSC Tool Holders

## TR/LI-OK






| 訂貨型號 Order Code | D | C | E | F | A | B | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|---|
| C4-TR/LI-OK60A-90 | 40 | 114 | 90 | 17 | 117 | 95 | 80 | 50 | 5.8 |


● R:右手型 Right-hand type ● L:左手型 Left-hand type





## TR/LI-OK-S








| 訂貨型號 Order Code | D | C | E | F | A | B | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|---|
| C4-TR/LI-OK60A-90-S | 40 | 114 | 90 | 60 | 110 | 95 | 80 | 50 | 5.2 |

● R:右手型 Right-hand type ● L:左手型 Left-hand type

## TR/LE-OK-DT






| 訂貨型號 Order Code | D | D1 | E | F | G | A | B | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|---|---|
| C4-TR/LE-OK55A-67-67-DT | 55 | 40 | 50 | 67 | 67 | 182 | 86 | 80 | 50 | 5.9 |

● R:右手型 Right-hand type ● L:左手型 Left-hand type









## TR/LE-OK-YT







| 訂貨型號 Order Code | D | E | F | G | H | A | B | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|---|---|
| C4-TR/LE-OK60A-25-26-YT | 40 | 65 | 25 | 26 | 26 | 149 | 103 | 80 | 50 | 4.8 |
| C5-TR/LE-OK60B-28-32-YT | 50 | 73 | 28 | 32 | 32 | 170 | 128 | 80 | 70 | 6.9 |

● R:右手型 Right-hand type ● L:左手型 Left-hand type

## Okuma機床-PSC模組化固定刀座
## Okuma - PSC Static Tool Holder

**TR/LI-OK-DT**






| 訂貨型號 Order Code | D | C | E | F | G | A | B | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|---|---|
| C4-TR/LI-OK60C-110-DT | 40 | 134 | 110 | 17 | 118 | 135 | 95 | 80 | 50 | 9 |


● R:右手型 Right-hand type ● L:左手型 Left-hand type



## Okuma機床-PSC模組化動力刀座
## Okuma - PSC Driven Tool Holder

**DA-OK**







| 訂貨型號 Order Code | D | D1 | E | F | A | B | Max R.P.M | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|---|---|
| C4-DA-OK60A-54-E | 60 | 40 | 54 | 0 | 120 | 97 | 6000 | 80 | 40 | 4.6 |
| C4-DA-OK60A-60-I | 60 | 40 | 60 | 0 | 120 | 97 | 6000 | 80 | 40 | 4.9 |

● E:外冷 External coolant ● I:内冷 Internal coolant

## Okuma機床-PSC模組化動力刀座
## Okuma - PSC Driven Tool Holder

**DF-OK**






| 訂貨型號 Order Code | D | D1 | C | E | F | A | B | Max R.P.M | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|---|---|---|
| C4-DF-OK60A-70-E | 60 | 40 | 111 | 70 | 85 | 143 | 98 | 6000 | 80 | 40 | 9.3 |
| C4-DF-OK60A-70-I | 60 | 40 | 111 | 70 | 85 | 143 | 98 | 6000 | 80 | 40 | 9.4 |


● E:外冷 External coolant ● I:內冷 Internal coolant



## 非特定機床的PSC模組化固定刀座
## Non-specific Machine Type - PSC Static Tool Holder

**R/LE-69880**







| 訂貨型號 Order Code | D | D1 | E | M | A | B | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|---|
| C3-R/LE30-00060 | 30 | 32 | 60 | 34 | 50 | 61 | 80 | 35 | 1 |
| C4-R/LE40-00075 | 40 | 40 | 75 | 41 | 75 | 75 | 80 | 50 | 2.2 |
| C5-R/LE40-00085 | 40 | 50 | 85 | 41 | 75 | 82 | 80 | 70 | 3.2 |
| C4-R/LE50-00065 | 50 | 40 | 65 | 49 | 70 | 83 | 80 | 50 | 2.2 |
| C5-R/LE50-00085 | 50 | 50 | 85 | 49 | 83 | 90 | 80 | 70 | 3.2 |
| C5-R/LE60-00075 | 60 | 50 | 75 | 58 | 80 | 100 | 80 | 70 | 5.7 |
| C6-R/LE60-00095 | 60 | 63 | 95 | 58 | 84 | 111 | 80 | 90 | 6.1 |

● R:右手型 Right-hand type ● L:左手型 Left-hand type

# 非特定機床的PSC模組化固定刀座
Non-specific Machine Type - PSC Static Tool Holder

## R/LBC-69880






| 訂貨型號 Order Code | D | D1 | C | E | F | M | A | B | CP Bar/PSL | Nm | Kg |
|---|---|---|---|---|---|---|---|---|---|---|---|
| C3-R/LBC30-41020 | 30 | 32 | 60 | 41 | 20 | 30 | 74 | 57 | 80 | 35 | 2.1 |
| C3-R/LBC30-41030 | 30 | 32 | 60 | 41 | 30 | 30 | 74 | 57 | 80 | 35 | 2.2 |
| C4-R/LBC40-51030 | 40 | 40 | 75 | 51 | 30 | 38 | 86 | 75 | 80 | 50 | 3.2 |
| C4-R/LBC40-51040 | 40 | 40 | 75 | 51 | 40 | 38 | 86 | 75 | 80 | 50 | 3.2 |
| C5-R/LBC40-53030 | 40 | 50 | 85 | 53 | 30 | 41 | 99 | 82 | 80 | 70 | 5.7 |
| C5-R/LBC40-53040 | 40 | 50 | 85 | 53 | 40 | 41 | 99 | 82 | 80 | 70 | 5.7 |
| C5-R/LBC50-53030 | 50 | 50 | 85 | 53 | 30 | 43 | 99 | 86 | 80 | 70 | 5.7 |
| C5-R/LBC50-53040 | 50 | 50 | 85 | 53 | 40 | 43 | 99 | 86 | 80 | 70 | 5.7 |
| C5-R/LBC60-43040 | 60 | 50 | 75 | 43 | 40 | 53 | 99 | 94 | 80 | 70 | 5.7 |
| C6-R/LBC60-53040 | 60 | 63 | 95 | 53 | 40 | 53 | 122 | 105 | 80 | 90 | 6 |

● R:右手型 Right-hand type ● L:左手型 Left-hand type